

THE RECOVERY OF
NITRATE FROM CHILEAN CALICHE.

Charles Griffin & Co., Ltd., Publishers.

. NOTE.—All Prices are net, Postage Extra.

THIRD EDITION, Revised Throughout. In Medium 8vo. With Numerous Plates, Maps, and Illustrations.

CYANIDING GOLD AND SILVER ORES.

A Practical Treatise on the Cyanide Process; its Application, Methods of Working, Design and Construction of Plant, and Costs.

By H. FORBES JULIAN AND EDGAR SMART, A.M.I.C.E.

REVISED THROUGHOUT BY A. W. ALLEN.

"A handsome volume of 400 pages which will be a valuable book of reference for all associated with the process."—*Mining Journal*.

SECOND EDITION. In Large Crown 8vo. Cloth. Pp. 1-ix+250. 5s.

ELEMENTARY AGRICULTURAL CHEMISTRY.

A Handbook for Junior Agricultural Students and Farmers.

By HERBERT INGLE, B.Sc., F.I.C., F.C.S.,

Fellow of the Royal Society of South Africa, of the Institute of Chemistry and of the Chemical Society.

"Highly useful and up-to-date . . . covering practically the whole field of agricultural chemistry."—*Farmer's Gazette*.

In Two Volumes, Half Morocco, each complete in itself.

PHYSICO-CHEMICAL TABLES.

For the Use of Analysts, Physicists, Chemical Manufacturers, and Scientific Chemists.

Volume I.—Chemical Engineering, Physical Chemistry. 30s.

Volume II.—Chemical Physics, Pure and Analytical Chemistry. 42s.

By JOHN CASTELL-EVANS, F.I.C., F.C.S.

The Work comprehends as far as possible ALL RULES AND TABLES required by the Analyst, Brewer, Distiller, Acid- and Alkali-Manufacturer, &c., &c.; and also the principal data in THERMO-CHEMISTRY, ELECTRO-CHEMISTRY, and the various branches of CHEMICAL PHYSICS. Every possible care has been taken to ensure perfect accuracy, and to include the results of the most recent investigations.

In Two Large Volumes. Each complete in itself and sold separately.

BRIQUETTING.

By PROF. G. FRANKE.

Translated by F. C. A. H. LANTSBERRY, M.Sc.

Vol. I.—In Medium 8vo. Cloth. Pp. 1-xxviii+631. 36s.

BRIQUETTING OF COALS, BROWN COALS, AND OTHER FUELS.

Vol. II.—Pp. 1-xi+214. With 4 Plates and 79 Illustrations. 15s.

BRIQUETTING AND AGGLOMERATION OF ORES, METALLURGICAL PRODUCTS, METAL SWARF, AND OTHER MATERIALS.

"To those who are interested in the industry the volume will prove a veritable storehouse of facts. The translator has performed his share of the work in a masterly manner."—*Engineering*.

LONDON: CHAS. GRIFFIN & Co., Ltd., EXETER ST., STRAND, W.C.2.

THE RECOVERY OF NITRATE FROM CHILEAN CALICHE

CONTAINING A VOCABULARY OF TERMS, AN ACCOUNT
OF THE SHANKS SYSTEM, WITH A CRITICISM OF
ITS FUNDAMENTAL FEATURES, AND A
DESCRIPTION OF A NEW PROCESS.

BY

A. W. ALLEN, M.A. (CAMB.),
Chemical and Metallurgical Engineer,

AUTHOR OF "MILL AND CYANIDE HANDBOOK," AND REVISOR OF THE THIRD EDITION
OF JULIAN AND SMART'S "CYANIDING GOLD AND SILVER ORES;"

MEMBER OF THE SOCIETY OF CHEMICAL INDUSTRY, THE INSTITUTION OF MINING AND
METALLURGY, THE MINING AND METALLURGICAL SOCIETY OF AMERICA, AND THE
AMERICAN INSTITUTE OF MINING AND METALLURGICAL ENGINEERS.

WITH DIAGRAMS.



LONDON:
CHARLES GRIFFIN AND COMPANY, LIMITED;
EXETER STREET, STRAND, W.C. 2.


1921.

[All Rights Reserved.]

1136

661.65

N21



P R E F A C E.

SINCE the date of the first manufacture of nitrate from the caliche found in the (then) Peruvian pampa, during the early years of the 19th century, the developments in the industry have been almost entirely in connection with the application of new and improved processes for the purpose of making profitable the treatment of material of decreasing nitrate content. The average ley, or nitrate percentage, of the caliche treated during the first fifty years probably averaged at least 75 per cent. In the most primitive method of beneficiation the rich caliche was boiled with water or mother liquor in large copper pans by the direct application of heat; and the nitrate was then crystallised from the resulting strong solution. The use of steam was adopted in 1850, when the average grade of caliche treated had dropped to about 50 per cent.; but even with this modification the process, if such it could be called, was still hopelessly inefficient, the ripios, or residues discharged, containing from 25 to 30 per cent. of nitrate; and the borra,

or slime, usually more than the original caliche. In 1876, important developments occurred as a result of the introduction by Mr. J. Humberstone—known for many years past as the father of the industry and held in high esteem—of a modification of the well-known Shanks system of progressive enrichment of solutions by lixiviation, as practised in the English alkali industry. The first installation was made at oficina Limeña, for the treatment of rich ripios from earlier processes. The Shanks system was soon adopted throughout Chile, and has to the present day remained the standard method of extracting the nitrate.

The introduction of the Shanks system resulted in notable economies, as compared with previous practice, with the result that caliche of lower ley could be treated at a profit. The grade of the material sent to the maquinas for the 20 years subsequent to the introduction of the Shanks system was probably fixed at a minimum of over 25 per cent., and in most cases averaged well over 30 per cent. nitrate.

With the reduction in grade of caliche being treated, a considerable decrease in percentage extraction of nitrate, by existing methods, was observable. At all times, however, a veil of mystery has been drawn over the actual results of practice, and reliable figures were impossible to obtain.

Accurate estimations of nitrate loss were seldom attempted; neither the caliche nor the various types of ripio discharged could be sampled with accuracy, nor was the dry weight of the several products obtainable. The facilities for the reduction of the samples were—and are to a large extent—such that the resulting analyses could only be considered as approximations. These circumstances permitted a wide latitude in the statement of result, and without fear of contradiction in the case where exceedingly high extractions were reported. Although optimistic figures have been given at various oficinas as to the amount of nitrate extracted, it is improbable that the actual recovery in crystal form and ready for shipment exceeded, on the average, 55 per cent. of the nitrate originally in the caliche; and it is certain that, in very many cases, the amount was considerably below this estimate.

With the exhaustion of the richer deposits of caliche, the general inefficiency of the present process has become more and more apparent, especially in connection with the treatment of material from ground containing any appreciable percentage of borra or slime. Various attempts have been made to improve results, usually by the installation and operation of complicated filtration equipment—ill-suited to the conditions

prevailing—but with no real success, economic or technical, as judged by the failure of the industry to adopt, to any general extent, any of the modifications which have been introduced from time to time.

The Shanks process, thanks to the technical skill and initiative of its sponsor, Mr. Humberstone, has well served its purpose. It has enabled the industry to reach a high state of prosperity; and it has been responsible, in no small measure, for Chile's present-day position in the front rank of progressive nations. Conditions are, however, rapidly changing. Disquieting accounts are current as to the success of synthetic methods for the manufacture of nitrate or nitrogen compounds, perfected by force of circumstances during the Great War; and the beds of caliche remaining untouched must be classed, for the most part, as either too low grade or too "borriente" for successful treatment by existing methods. The present high cost of fuel is likely to persist, or increase; labour is becoming more and more expensive and restive; the present abnormal price of nitrate cannot be maintained indefinitely, and the whole world is in urgent need of cheap fertiliser.

The fact needs emphasis that seldom or never is work discontinued at a salitrera on account of

the absence of caliche, but invariably because of the diminishing amount of nitrate contained, or because of the presence of a prohibitive amount of borra. Enormous dumps of ripio, which are accessible and can be cheaply handled, are scattered over the pampa. Estimates of the amount vary between 100,000,000 and 150,000,000 tons. Although this ripio is untreatable by present methods, and the cost of a filtration process would certainly be prohibitive, it will become a national asset of considerable importance as soon as attention is paid to an alternative process, based on adequate-scale operations, and developed on the foundation of a satisfactory appreciation of the fundamental principles of leaching treatment. The ripio dumps of Chile are also of considerable value as affording a sufficiency of hard, insoluble material with which may be mixed the "borriente" caliche which is now discarded, at some expense, as unsuitable for Shanks-maquina treatment; or only handled at high cost and with indifferent results by one or other of the complicated filtration systems which have been proposed. No estimate is possible of the amount of low-grade caliche in Chile, but it probably amounts to over a billion tons. But this is clearly only available provided that the present small-scale operations and expensive handling methods in vogue are superseded by a

the absence of caliche, but invariably because of the diminishing amount of nitrate contained, or because of the presence of a prohibitive amount of borra. Enormous dumps of ripio, which are accessible and can be cheaply handled, are scattered over the pampa. Estimates of the amount vary between 100,000,000 and 150,000,000 tons. Although this ripio is untreatable by present methods, and the cost of a filtration process would certainly be prohibitive, it will become a national asset of considerable importance as soon as attention is paid to an alternative process, based on adequate-scale operations, and developed on the foundation of a satisfactory appreciation of the fundamental principles of leaching treatment. The ripio dumps of Chile are also of considerable value as affording a sufficiency of hard, insoluble material with which may be mixed the "borriente" caliche which is now discarded, at some expense, as unsuitable for Shanks-maquina treatment; or only handled at high cost and with indifferent results by one or other of the complicated filtration systems which have been proposed. No estimate is possible of the amount of low-grade caliche in Chile, but it probably amounts to over a billion tons. But this is clearly only available provided that the present small-scale operations and expensive handling methods in vogue are superseded by a

process such as is suggested in the following pages.

Many industries have passed through a similar stage of evolution, and the history of metallurgical progress is replete with examples of the gradual abandonment of mineral deposits and residue dumps, because of lowness of grade or refractoriness, followed in due course by improvements in practice and the successful establishment of alternative processes on an adequate scale. An English mining engineer, with an intimate knowledge of affairs in Chile, published a book in London in 1826 in which he gave conclusive "proofs" of the "fallacious notions" entertained in certain quarters as to the possible productiveness of Chilean copper mines. Yet in the sixties, Chile was producing nearly 70 per cent. of the world's output of the red metal, and to-day she possesses in successful operation what is perhaps the largest copper mine in the world, in addition to a number of smaller, though exceedingly valuable, properties. All this has resulted from technological advance and large-scale operations.

The same degree of development and ultimate success is possible in the nitrate industry, even though the most sanguine estimates in connection with synthetic nitrogen products be realised, provided that a bolder policy is adopted and less

attention paid to the application of patented machines and more to the fundamental principles of simple leaching, operated on a scale commensurate with the size and grade of the remaining deposits.

The purpose of this booklet is to point a way to a more economical and efficient process which preserves the simplicity of the Shanks system and, at the same time, permits of the complete treatment, to a satisfactory and logical conclusion, of material which is now considered valueless. No estimate can be made at the present time as to the ultimate benefit to the industry by the adoption of the system described—the most conservative estimates are staggering; but it appears certain that the enormous increase permissible in any estimate of the available reserves of raw and treated material, coupled with a radical decrease in the cost of treatment should, in the near future, materially aid in the reduction of the present high cost of living throughout the world.

A. W. ALLEN.

LONDON, *January 8, 1921.*



CONTENTS.

Vocabulary of Terms used in Chilean Nitrate Technology, .	xv
Shanks Process,	1
„ Extraction Stage,	5
„ Crystallisation Stage,	14
General Results from Present Method of Treatment, . .	17
Features of Desirability in Alternative Scheme, . . .	19
Fundamentals of Allen Extraction Process,	21
Heating of Nitrate Solutions,	28
Actual Operating Results from New Process,	31
Production of Commercial Nitrate from Liquors extracted by New Process,	33
Evaporation of Water from Nitrate Solutions,	37
Use of the Grainer for Evaporation and Crystallisation Pur- poses,	44
INDEX,	49



VOCABULARY OF TERMS

USED IN CHILEAN NITRATE TECHNOLOGY.

- Agua feble.** The solution remaining after the refrigeration of *agua vieja* or other nitrate liquor.
- Agua vieja.** A term used to refer to the mother liquor, at atmospheric or below atmospheric temperature, remaining after the fractional crystallisation of commercial nitrate from *caldo*.
- Batea.** Crystallising vat.
- Borra.** A term used indiscriminately to refer to (1) the mixture of slime, crystallised nitrate, sand, water, or other impurities which passes through or is found underneath the perforated plates supporting the *caliche* in the boiling tank ; or (2) the exceedingly fine earthy material associated with or forming part of the *caliche*.
- Cachucho.** The boiling tank in which the high-grade nitrate liquor is made by means of evaporative concentration, and where the remaining nitrate associated with the *caliche* is displaced by weak solutions and water.
- Caldillo.** A somewhat indefinite term referring to any solution which does not approach a *caldo* in nitrate strength, although containing more nitrate than a mother liquor.
- Caldo.** The liquor of the highest density and temperature. The first liquor drawn from the *cachucho*.

Caliche.	Nitrate bearing material containing, in addition to sodium and potassium nitrates, soluble impurities in a number of forms and in widely varying proportions.
Cateo.	The survey of a salitrera, for the purpose of forming an estimate of tonnage and nitrate content of caliche.
Chullador.	An open, flat-bottomed vat, used for the clarification of caldo by the settlement of entrained borra and salt.
Grinolina.	The perforated-plate false bottom on which the charge of caliche rests in the cachucho.
Cuaja.	The deposit of crystals in the batea, or crystallising vat. The term is usually used to refer to the size of the deposit or the quantity of nitrate produced.
Ley.	A term used to represent the richness, or the percentage of nitrate in caliche or other material.
Maquina.	Caliche treatment plant.
Oficina.	A nitrate property equipped with maquina.
Relave.	Weak nitrate liquor, added before the final water wash to displace the higher-grade liquors and to dissolve residual nitrate.
Ripio.	The residue, or waste product.
Salitre.	The commercial nitrate product.
Salitrera.	Nitrate bearing ground.

RECOVERY OF NITRATE FROM CALICHE.

THE SHANKS PROCESS.

The Shanks process, in use throughout Chile for the recovery of nitrate from caliche, consists, essentially, of a reduction of the raw material in rock-breakers to about 3-inch size. This is then carried by belt conveyors or gable cars to boiling vats. In a few instances secondary crushing is practised, but in the majority of cases the caliche passes direct from a small storage, through the rock-breakers, and direct to the vats.

The vats, or cachuchos as they are called, are rectangular in shape, and are divided horizontally by a crinolina, or perforated-plate false bottom placed about 9 inches above the floor of the vat, into (a) the upper portion containing the caliche and steam coils, and (b) the lower portion connected with solution exit pipes and doors for the discharge of the ripio.

A system of solution transfer from cachucho to cachucho, with exit at or from the bottom and inlet at the side of the vat, provides for the pro-

gressive enrichment of solution by an imperfect displacement movement. In the vats recently charged with caliche the solution is boiled or kept at a high temperature and water evaporated, so that a high-grade caldo may be produced for crystallisation. This is withdrawn from the space underneath the crinolina and replaced at the same time with solution from the charge from which caldo had been previously drawn. The caldo from the cachuchos usually contains borra and has to be clarified before it can be sent to the bateas. This operation is carried out in a chullador, the solution being mixed with various settling agents such as flour in the form of a thin paste, and guano, and decanted as soon as the desired result is obtained.

The solution from the chullador is laundered to one of a number of bateas, where the nitrate is allowed to crystallise. The residual mother liquor, the agua vieja, is returned to the storage tanks, from which it is drawn when required and sent to the cachuchos, thus completing the cycle of operations.

An excessive amount of hand-picking at the salitreras, to minimise trouble with borra in subsequent treatment, results in high mining expense. The cachuchos are small and fitted with steam pipes, and must, therefore, be discharged by hand. Special wages have to be paid for disagreeable work, and only experienced men are of use. Some of the ripio is discharged in a sloppy condition, thus making cheap residue disposal difficult.

After the completion of treatment, an exceedingly high-grade mixture of sand and borra is found underneath the crinolina. This, in some plants, is re-treated by special classifying, decantation, and filtration apparatus, and the nitrate content reduced to an amount which usually varies from 4 to 12 per cent. In some instances the fines associated with the dry crushed material are separated from the coarse. These fines may be treated alone or together with the borra and sand found underneath the crinolina.

The accurate accounting of results is an impossibility. As many as four types of ripio may be discharged to the dumps, the nitrate in the proportion coming from above the crinolina plates in the cachucho being invariably used as an index to the efficiency of operations in the maquina. Between theoretical extraction and actual recovery there is seldom an attempt at agreement. Because of the difficulty of sampling so unhomogeneous a mass as the material fed to the cachuchos, the impossibility of estimating the tonnages of the various ripios discharged, and the wide variation in nitrate content in the individual pieces comprising the ripio from the cachuchos, the actual yield of nitrate usually indicates a loss amounting to twice or even three times as much as the estimate of nitrate in ripio would seem to indicate.

Sampling of the caliche in the first instance, and before it goes to the cachuchos, is usually an inefficient operation, resulting in a faulty estimate. In many instances the fines carry a higher per-

centage of nitrate than the coarse. The personal equation, therefore, governs the estimated ley of the material sent to the cachuchos. Shovel sampling usually results in the inclusion of an abnormal proportion of coarse lumps, and the lower amount of nitrate recorded tends to counterbalance some of the unrecorded losses occurring during treatment. The early exhaustion of normal-ley caliche from the salitreras is usually attributed to a faulty cateo in the first instance. Certain parts of the pampa were assumed to have caliche of a certain ley; this was not realised when the material was sent to the maquina. These and similar explanations are usually accepted, in spite of the fact that extensive cateos on a proper basis have invariably indicated that discrepancies occur which influence over, as well as under, estimation and to an extent that leads to the maintenance of the original average.

SHANKS PROCESS—THE EXTRACTION STAGE.

An exceedingly unhomogeneous product, usually direct from swing-jaw breakers, is sent for treatment. The breaker jaws wear at a maximum in the centre; and a small or large percentage of oversize, depending on the age of the jaw plates, passes to the cachucho. The feed, therefore, consists of large lumps, the ordinary proportion of medium sizes, and a small amount of fine dust or borra. With a mixture containing such widely varying sizes, the average length of treatment cannot be regulated to ensure efficiency of result as well as economy of time.

The caliche is delivered to the cachucho either by means of gable cars or belt conveyors delivering to one spot at a time. No system of distribution, to prevent segregation, is attempted. The fines are piled at several points in the vat, and the coarse lumps find their way to the edges. Only one advantage is apparent from the segregation resulting: the maximum amount of solution passes around the larger lumps, which are, therefore, given a proportionately greater change of solution than the finer material, in which the nitrate is more available. In many cases, however, the fines escape adequate treatment, the ripio taken from

various parts of the cachucho often differing in nitrate content from 2 to 10 per cent.

Enrichment of the Charge.—The inefficiency of nitrate recovery—the lengthy time of treatment to obtain even moderately low ripios—is largely due to the enrichment of the charge by the evaporative concentration of high-grade solutions and by the addition of caldillo and agua vieja. These high-grade nitrate solutions have low dissolving powers. Caldo is formed mainly by evaporative concentration, and not by the abstraction of nitrate from the caliche; and this involves the augmenting of the nitrate contents of the cachucho, resulting in a proportionately high ripio. The boiling or high-temperature maintenance disturbs the equilibrium of the charge, causing the borra to circulate with the solution and finally to find its way underneath the crinolina, and from thence to the surface of other charges, or to the relave tanks.

Displacement Stage.—Caldo when formed is largely diluted with incoming caldillo. This is due to the inefficiency of the displacement method adopted and the short circuiting of the solution through the charge.

As much caldo as possible is drawn from underneath the crinolina, or perforated-plate bottom supporting the charge, and partly displaced by the caldillo from the previous charge; and delivered, not on to the top of the caliche, but into the side of the charge, and generally at the opposite end of the cachucho.

Efficient displacement of solutions during leaching must take place in either an upward or downward direction. This involves either (a) pumping from vat to vat in any system of solution concentration ; or (b) the erection of the vats at different levels. The latter practice would present obvious disadvantages. In the Shanks system an effort is made to secure displacement from vat to vat without recourse to either pumping or variation in vat level. The result is that operations are considerably simplified, but at the expense of efficient displacement.

Lengthy treatment and large amounts of water are needed, not only to displace the high-grade solution left in contact with the caliche after the concentration stage, but to effect dissolution of the nitrate left untouched on account of the low dissolving powers of the solutions used in the earlier stages of treatment. The inefficiency of the work done in the displacement stage is, however, largely due to the fact that, in the Shanks process, no true displacement of solution takes place other than when circulating in individual cachuchos ; and any good effects in the latter case are nullified by the circumstance that nitrate is removed by the solution only to be again put in contact with the charge. So that, whereas the undissolved nitrate in the charge is lessened in amount, the dissolved nitrate in the liquid surrounding the charge, a proportion of which must necessarily be left in contact with the caliche as moisture or entrained liquor, is higher in nitrate

than before that phase of treatment was commenced. It may be taken as an axiom that, in all efficient leaching operations, the concentration of the solution must be accompanied by progressive impoverishment of both the charge and the solution in contact with it.

Five weak features are, therefore, apparent in the extraction stage of the process :

1. Unsuitable and unhomogeneous character of the caliche when prepared for treatment.
2. Lack of adequate support for, or facilities for drainage from, the charge.
3. High nitrate content of material in the cachuchos after the concentration stage and before the displacement stage, leading to correspondingly high ripios, and due to the practice of forming caldos in contact with the caliche.
4. Imperfect displacement of dissolved nitrate in solution by the present horizontal-delivery system of solution from cachucho to cachucho.
5. Disturbance of the distribution of borra throughout the charge by boiling or high-temperature maintenance, with contamination of solutions and loss of nitrate.

Evaporation of Water in the Cachuchos.—A necessary step in the concentration of liquors to caldo strength is the evaporation of water ; and this is effected to a large extent by boiling or high-temperature maintenance in the cachuchos. An

amount of water, usually equivalent to from 25 to 30 per cent. of the original weight of caliche, is added during treatment for displacement and dissolving purposes. About 50 per cent. of this is discharged with the ripio as moisture. The remainder must be evaporated. Vaporisation is effected concurrently with the concentration of liquor in the first stage of treatment. A large expenditure of heat is necessary. Radiation losses are high, both from the bottom and sides of the cachuchos, and arising from the chilling of the surface of the charge with cold air. The intermittent heating—and exposure to low atmospheric temperatures—of large areas of metal for small tonnages handled is also the cause of considerable heat loss.

Action in the Chullador.—Caldo drawn from underneath the crinolina, as described, must be clarified before going to crystallisation. It is claimed that the action in the chullador is also one of salt crystallisation; and this is explained by the assumption that, with increasing concentration and rise in temperature in the caldo-forming stage, dissolving power is available, which is used up in dissolving salt which had been precipitated during the early stage of concentration or is present in excess in the caliche, to an amount above that which would have been taken up had both nitrate and salt been available in equal or equivalent proportions. In other words, salt was available in excess during the first stage of concentration, but nitrate, though present, was not available, being

occluded in the larger lumps of caliche. This resulted in a gain in concentration of salt during the first drop of temperature in the chullador. The explanation is plausible, but it is also evident that some, if not most, of the salt deposited during "chullaring" enters the chullador in the form of a crystal suspension.

Whatever the exact function of "chullaring," it is evident that its necessity arises from :

1. Muddy solutions.
2. Salt in suspension, or lack of available nitrate in the charge, or both.

Muddy solutions are caused (a) by the disturbance of the equilibrium of the charge by boiling or high-temperature maintenance in the cachuchos, and the freeing of an unnecessary amount of borra ; (b) uneven resistance to flow of solution through the charge, resulting in the short-circuiting of solutions ; and (c) the incomplete and unsatisfactory support for the charge by means of punched plates, leading to local collapse at numerous small areas, and the washing through of borra and sand.

Lack of available nitrate is the result of insufficient exposure of the nitrate in the caliche to the solvent action of the solution. The caliche is crushed insufficiently fine.

The operation in the chullador consumes time, involves loss of heat which should be utilised to effect evaporation of water, necessitates the addition of an expensive settling agent such as flour, and lowers the efficiency of extraction in the

cachuchos by the necessity of increasing the nitrate content of weak solutions which must be used to wash the salt and entrained nitrate left in the chulladores after the decantation of caldo. The necessity for "chullaring" prevents the attainment of a maximum degree of nitrate concentration in the caldo, thus excluding salt.

Modifications in Operation in the Extraction Stage of Treatment.—Apart from logical improvements in the matter of (a) the substitution of efficient evaporation for that proportion of the necessary evaporation over and above what is required to concentrate solutions to the required strength in the cachuchos; (b) the more accurate estimation of caliche tonnage; and (c) the reduction in nitrate content of agua vieja by refrigeration, the modifications in treatment introduced during recent years have been almost entirely in connection with the possible application of certain patented machines for the special treatment of the borra, or a sand-slime product that may be obtained by the classification of the crushed caliche. Complications have been introduced, in most cases without obvious benefit; and, without going into detail as to the various attempts made along such lines, it may be said that:

1. There is no justification for the extra expense involved in the classification of the small amount of "borriente" material found in normal crushed caliche, and the treatment of the fines by any system of pressure or vacuum filtration.

2. Owing to the refractory nature of the borra after the absorption of the nitrate solution, and the difficulty, if not impossibility, of thickening or filtering a borra pulp by any known method, it is highly inadvisable to separate this from the sandy material, either purposely or as an unavoidable phase of any scheme of treatment adopted.

No convincing or consistent data have been available to date as a result of the introduction of any filtration process to handle the whole or part of the product, neither have consistently low ripios been secured, even after the expenditure of considerable sums of money for the purchase and installation of complicated equipment, usually involving ample power provision. If it is proposed to treat the whole of the caliche by pressure or vacuum filtration, then it is evident that the expense would be prohibitive; and that the nitrate produced from such a process, as far as normal and low-grade caliches are concerned, could not ultimately compete with synthetic nitrate produced by improved methods. If only a part of the caliche is to be treated, then the efficiency of nitrate extraction will decrease, with certain variations, as the proportion of borra increases.

The complete, or nearly complete, recovery of nitrate from sandy material is, of course, entirely feasible and practicable on a commercial scale by the adoption of one of a number of methods of continuous or intermittent operation, such as may be seen in every-day practice in other industries.

The extraction of nitrate from borra is an entirely different proposition, because of the fact that low ripios can only be secured, after the particles have been allowed to absorb high-grade nitrate solution, by a slow process of diffusion, and depending for its efficiency on time available and the difference in density of the replacing solution as compared with the density of the solution in the borra particles. High pressure or vacuum applied to the replacing solutions, in order to insure passage through a compact mass of borra, are both valueless as far as the impoverishment of the solution held by the particles is concerned. If nitrate absorbed in this manner is to be recovered, then the borra particles must be kept surrounded with the solution of gradually decreasing strength for a considerable time, to allow for the equalisation of pressures. Without inordinate expense for equipment and operation, it would be impracticable to give the necessary time for satisfactory displacement in any filtration system. With efficient gravity leaching it is invariably found that the colloid slime associated with the residue is lower in dissolvable salts than would be the case if it were isolated and given a normal treatment involving pressure or vacuum. As far as borra is concerned, although the underlying principles are theoretically attractive, it would appear that any system of countercurrent decantation is out of the question.

SHANKS PROCESS—THE CRYSTALLISATION STAGE.

The caldo from the chulladores is delivered by launder to one of a number of bateas, or crystallising vats. A "field" of these necessarily covers a large area, so that cooling of solution *en route* to the more distant bateas is inevitable, and considerable crystallisation of nitrate usually takes place in the launders. A proportion of the fine crystals formed passes along with the caldo, and is deposited in a heap in the batea directly below the point of delivery from the launder. The remainder is removed by hand labour. The loss of heat during "chullaring" and transfer of caldo to the bateas is shown by the fact that with an initial temperature of 105° C. in the liquor flowing from the cachucho the temperature of the solution in the batea, when full, might be 60° C., or even less.

Initial cooling in the batea is exceedingly rapid, and is the result of radiation from the sides and bottom, all of which are exposed to low night temperatures. Evaporation is restricted and radiation increased by the formation of a scum on the surface of the liquor, for the breaking up of which no provision exists other than by means of hand labour.

The caldo is left in the bateas until a sufficiently low temperature is reached or a certain deposit of nitrate has taken place—a tedious process, usually involving from 7 to 10 days' exposure. Temperature drop is exceedingly irregular, owing to the viscosity of the liquid and the acquisition of heat derived from the sun during the daytime. Under present circumstances the semi-cooled caldo is re-heated daily in the sun, evaporation is slight on account of average low temperature, cooling is retarded, and large batea space is required to produce a small amount of atmospheric-temperature *agua vieja*.

Loss of heat is an essential concomitant to, and an indication of, the degree of evaporation under efficient conditions. If evaporation takes place at a low temperature, then the heat required to vaporise unit quantity of water is considerably more than is required to vaporise the same quantity of water from liquor at a higher temperature. With batea operation most of the heat available for evaporation at the higher temperatures is dissipated by conduction losses and direct contact with excess cold air. When the solution has reached such a temperature that evaporation is slight, then the deposit of crystals on the sides and bottom of the batea prevents or delays the chilling of the liquor to low temperatures. Excessively large batea installations are, therefore, necessary to counteract the inefficiency of operations at every stage of the process.

Reduction in solution density during batea

crystallisation is retarded by the supersaturated condition of the liquor, which indicates that temperature decrease is only one of several factors affecting the deposition of nitrate. The maintenance of this condition of supersaturation is helped by the quiescence of the liquid, a fact that is evident when agitation is practised, and an immediate crop of crystals is produced.

The initial formation of the crystal is an important phase of operations of this kind. In batea practice and after the first few days of exposure this can only come about by surface chilling, caused either by evaporation or by heat conduction to passing air currents. This cooling action is retarded in the day-time by the transference of heat from the sun to the surface layer of the liquid in the batea, thus effectively insulating the remainder from maximum action at night. Surface crystal formation is delayed, the movement of the liquid is practically nil for several days, and a condition of supersaturation and stagnancy is maintained which delays operations and necessitates extensive equipment.

The unsatisfactory features of this phase of the process may be summarised as follows :

1. Loss of heat, and crystallisation in launders, formation of small crystals from agitation of liquid in transfer, both due to single-plane batea system and intermittent operation.
2. Loss of heat from liquor sent to batea, without appreciable compensation.

3. Enormous batea capacity, due to (a) inefficient and slow cooling, and (b) time lost for drainage and in hand discharging.

No notable changes have been made in the standard practice of crystallising nitrate from caldo other than in connection with the production of high-potash nitrate from the refrigeration or fractional crystallisation of agua vieja or intermediate liquors, and the production of agua feble. This has resulted, incidentally, in an increase in the yield of nitrate from caldo and a reduction in quantity and grade of the liquor returned to the cachuchos.

GENERAL RESULTS FROM PRESENT METHOD OF TREATMENT.

With average output, normal time of treatment, and by using reasonable amounts of steam and water, the principal defects of the Shanks process are seen in :

1. High loss of nitrate in ripio and borra, restricting the grade of caliche that can be treated at a profit.
2. High cost of operation, arising largely from the inefficient manner of evaporating water, high radiation losses, and small unitary tonnages.
3. Inefficient accounting of results, due to the lack of provision or inability to sample

with accuracy the incoming caliche or the outgoing ripio and borra.

4. Small units, necessitating large areas of equipment, restricting the capacity of the maquina, and making impossible the reduction of overhead expense to reasonable limits.
 5. Comparatively high labour requirements, owing to absence of, or impracticability of installing, mechanical provision for the handling of caliche at the salitreras and ripio and nitrate at the plant.
-

FEATURES OF DESIRABILITY IN ANY ALTERNATIVE SCHEME OF TREATMENT.

A desirable process, to justify consideration, must indicate the prospect of radical reduction in labour requirements, operating cost, and nitrate content of ripio : it must appear a feasible method for the ultimate re-treatment of the ripio dumps in Chile, and it must be available as a basis for convincing argument to use against the contention that any system of synthetic nitrate production during the life of the Chilean deposits is commercially feasible during times of peace, however much the establishment of plants for this purpose may be desirable from the military point of view.

Any alternative scheme of treatment should, preferably, be adaptable, for small-scale operations, to existing equipment without radical or expensive alteration, and without sacrificing too many of its basic advantages. In summary, the aim should be to evolve a process to ensure :

1. Minimum nitrate loss in ripio, as well as during treatment.
2. A general cost reduction, both with regard to first cost of plant, amortisation, and operating expense.
3. A general labour reduction, by the substi-

tution of modern mechanical methods for the handling of caliche and ripio.

4. The retention of all the favourable features of the present method: (a) simplicity of operation, (b) low depreciation, and (c) high grade of product.
 5. The practicability of the accurate accounting of nitrate losses and recoveries, thus placing the industry on a plane with other highly specialised technical operations.
-

FUNDAMENTALS OF ALLEN EXTRACTION PROCESS.

The new extraction process (patent applied for) consists essentially of passing a solution or other solvent through a homogeneous mass of caliche which has been dry-crushed to such a size that no appreciable movement of the borra takes place in the direction of percolation. The outgoing solution, therefore, contains only a minute amount of borra in suspension. The charge must be of even and homogeneous texture and free from inequalities as to nitrate content; and in order to achieve efficient results the degree of crushing must be such that the interstitial spaces between the particles are small and evenly distributed. On the other hand, regular though slow percolation is desired, so that crushing must not be carried to a point which would result in the production of so great a quantity of fines that solution passage would be retarded below the economic minimum. On certain classes of caliche it has been found that a reduction so that the whole product passes a $\frac{1}{8}$ or $\frac{1}{4}$ -inch square-opening screen results in a desirable mixture through which percolation is possible at a rate permitting the rapid leaching of the soluble salts. In other cases, however, coarser crushing might be more economical or finer crushing more desirable. The

rate of dissolution of the nitrate, other things being equal, will depend on the fineness to which the caliche has been crushed, and also on the rate of percolation of the dissolving solution. Excessive comminution generally results in impermeability of the charge, so that there is, obviously, a limit to which the degree of crushing should be carried.

Essential Apparatus.—The vat to be used for leaching purposes may be of any convenient or desirable size or shape. It is fitted with a bottom support for the charge, of sand, coco matting, or other suitable material which will permit the passage of the solution. This bottom is fixed at an appropriate distance from the floor of the vat, usually about 8 inches; and the space between the two is connected with the necessary inlet and outlet solution, steam or water pipes. The bottom support for the charge may be provided with shovelling slats of wood, or rails; or other means may be taken to prevent damage to or removal of the top layer of the support during the discharge of ripio. This may be effected either through bottom or side doors, or, preferably, by means of mechanical excavating apparatus.

The permeable bottom support in no way acts as a filter. If that were its function it would choke almost immediately after downward leaching was commenced. Its purpose is to offer adequate support for the charge, preventing any movement whatsoever of solids in the direction of the bottom space; it allows for the even distribution of solution during upward percolation, thus obviating

channeling and movement of the borra, and it permits efficient drainage of the charge at the conclusion of leaching, even when a high percentage of colloid slime is present, by permitting the application of a vacuum.

Operation.—One of the features of the process is that the fines are so intimately mixed with the coarser material that, given an even distribution of dissolving solution, there is no tendency for the individual particles of borra in the charge to become segregated or to form an appreciable hindrance to the passage of the solution. Only a minute percentage of the borra in the vat is in contact with or is able to reach the bottom support, or is on the surface or able to reach the surface of the charge. A clear liquor is, therefore, obtained, and whether upward or downward percolation is being practised. In the latter case there is absolutely no clogging of the material used for the support of the charge.

A great advantage in the new process is the ability to percolate the solution in an upward direction. The denser liquor resulting is, therefore, delivered from the surface of the charge, thus obviating crystallisation troubles in piping or other enclosed parts of the apparatus; and the heat in the dissolving solution is conserved by direct delivery underneath the bottom support.

Contact of caliche with solution in the first instance is preferably effected by upward submergence—i.e., the solution, usually as hot as possible, is delivered into the space between the

bottom support and the floor of the vat; and is then, by gravity or other pressure, allowed to saturate the caliche and finally submerge it. An allowance must be made for the difference in density of the inflowing and effluent solutions. This may be counterbalanced by providing extra head for the former.

The leaching of the charge may be continued by upward percolation, the effluent solution overflowing from one vat either going to the crystallisation department or being re-heated and delivered underneath the bottom support in another vat, and so on; the final operation being, of course, gravity drainage with or without the assistance of a vacuum. Or the direction of flow may be changed, and the solution may be drained from the bottom of the charge and replaced, at the same time, by the same or other solution applied at the top. This latter method, however, has obvious disadvantages, especially during the earlier stages of treatment.

The percolation of the charge may be continuous or intermittent, but owing to the comparatively small amount of excess solution in contact with the caliche at any time it is possible to displace one solution with another, or with water or other wash, without appreciable admixture of the two. It is, therefore, usually found preferable to work the process so that a continuous flow of solution passes through the charge; but intermittent leaching may be practised, if found desirable: the charge at certain stages of treatment may be wholly or partly drained of the excess solution

in contact with it, and before the application of the next wash or solvent.

The first high-grade solutions resulting are abstracted from the system and sent to the precipitation or crystallisation department. The weaker solutions are preferably re-heated to insure additional dissolving power, and delivered to the other vats in the series, as practised in ordinary leaching operations in many industries. The solution resulting from the final water wash goes forward in the system as a weak relave.

ADVANTAGES OF THE PROCESS.

1. Even percolation, because of the homogeneity of the charge.
2. Improved extraction of nitrate, because of the comparative fineness of the material.
3. Shorter time of treatment on account of the availability of the nitrate and the efficient displacement of solutions.
4. Quick dissolution of the nitrate in the caliche on account of the continuous displacement of dissolving solutions.
5. Ability to extract nitrate from caliche or Shanks-maquina ripio with the avoidance of concentration of solution into caldo in contact with the charge.
6. Full opportunity for the accurate accounting of nitrate losses and recoveries, thus removing one of the most serious bars to technical progress in the Chilean nitrate industry at the present time.

7. Efficient recovery of the nitrate from the borra without the expense involved by its isolation and treatment as a separate product, together with the elimination of troubles resulting from the contamination of solutions with slime.
8. Retention of all the favourable features of the present Shanks process, with increased yield at a considerably reduced operating cost, especially if utilised on a scale commensurate with the size of the low-grade deposits and ripio dumps in Chile.

The process differs from the Shanks system in that :

1. The caliche is crushed much finer.
2. Percolation and solution displacement are either in an upward or downward direction throughout treatment.
3. Adequate bottom support for the charge is provided which, being permeable, permits passage of the solution without movement of the borra.
4. Heat for the dissolution of the nitrate is supplied, in whole or part, by raising the temperature of the solution before it enters the vat.
5. The space containing the caliche in the leaching vats is devoid of steam coils, and no boiling or heating of solutions from an external source occurs when the liquor is in contact with the charge.

6. Particular care is taken with regard to the thorough mixing (by delivery into bins of ample storage capacity) of the various classes of caliche when crushed, as well as the even distribution of the mixture in the vat.
7. Effective insulation of vat and solution contents is feasible by ordinary means, particularly on account of the ability to cover the solution on the charge with wood, float insulators, and the practicability of bucket grabbing the ripio, thus obviating the need for discharge doors and tracks underneath the vat.
8. No appreciable evaporation takes place in the vat. Caldo can be produced by one of a number of methods, such as the re-heating and re-circulation of effluent solutions; but, in view of the importance of low ripios and rapid treatment, emphasis is laid on the practicability of concentrating solutions by efficient means outside the vat.
9. Concentration of the solution in the leaching vat is a non-evaporative process; and the enrichment of the percolating solution is accompanied by the impoverishment of the caliche. Solution displacement is continuous, so that the impoverishment of the caliche is accompanied by a corresponding reduction in the grade of the solution surrounding the charge—the ideal conditions for efficient extraction of solubles.


HEATING OF NITRATE SOLUTIONS.

Two important considerations must be borne in mind in connection with the heating of nitrate solutions :

1. Evaporation must be minimised, to avoid the deposition of salt and other impurities.
2. Effective measures must be taken to prevent stagnancy of solution in contact with the heating surface, resulting in local high temperatures, inefficient heat transfer, and accretions.

Assuming the use of iron or steel steam pipes as the most convenient means of heat supply, the efficiency of transference will depend to a great extent on the velocity of flow of the steam and the degree of movement of the liquid in contact with the pipes. By adopting a system of counter-current flow of steam and liquid it is possible to secure highly efficient operation. Evaporation arises almost entirely from the exposure of high-temperature solution to the atmosphere, so that counter-current heat transfer is additionally desirable, because of the fact that high temperatures are only reached when fresh steam is encountered—i.e., when the solution is ready for discharge.

A special type of heater (patent applied for) has



Sectional Elevation through A-B

Fig. 1.—Diagram showing Design of Solution Heater.

661.95

1136

1136

been developed, a diagram of which is shown in Fig. 1, which has proved thoroughly satisfactory in practice. It will be seen that :

1. Radiation losses are reduced to a minimum.
 2. Effective movement of both steam and solution is ensured.
 3. There is practically no evaporation of water.
 4. The apparatus is simple in design and the parts are accessible.
-

ACTUAL OPERATING RESULTS FROM NEW PROCESS.

The fundamentals of the new process have been amply demonstrated on both a small and large scale, and with entirely satisfactory results. Practically every type of caliche met with in Chile has been treated. In view of the trouble experienced with "borriente" material in ordinary Shanks-maquina operation, tests have been made on caliche mixtures containing an abnormal percentage of borra. The new process is essentially a leaching process and not a filtration one—a limited pressure is available to assist the passage of solution through the mass—but it has been demonstrated by large-scale operation that the amount of borra that can be successfully treated (with over 90 per cent. extraction of the nitrate) is considerably above the amount contained in an average mixture of caliches from the most refractory pampas in Chile. It is now obvious that the expense involved in the hand-picking and sorting of caliches on many pampas is entirely unnecessary. A much lower-grade mixture can be treated at a profit by the new process, and containing an amount of borra which would be deemed prohibitive so far as Shanks-maquina operations are concerned.

In summary, actual operations have shown :

1. Clear solutions at all times.
2. Rapid treatment, usually averaging from 24 to 48 hours.
3. Greater ease in the discharging of ripio, on account of the absence of steam pipes in the vats.
4. Ability to apply vacuum before discharge, thus reducing average moisture percentage in ripio.
5. Excellent results in the treatment of ordinary Shanks-maquina ripio, showing extractions of over 90 per cent. of the nitrate in 24 hours.
6. Ability to treat successfully through a depth of caliche in considerable excess of Shanks-maquina limits, and in large vats.
7. Low total nitrate loss in treating ordinary caliche mixtures, showing an actual extraction of nitrate which is usually between 90 and 95 per cent.
8. Ability to sample caliche and ripio with accuracy and by ordinary means, thus ensuring the correct estimation of nitrate losses and recoveries and the elimination of uncertainty as to result.

THE PRODUCTION OF COMMERCIAL NITRATE FROM LIQUORS EXTRACTED BY THE NEW PROCESS.

If it is thought desirable to sacrifice the advantages arising from the adoption of a system whereby concentration of the solution in contact with the charge is restricted, in favour of what may be considered a feature of simplicity of Shanks-maquina operations, caldo production in the leaching vat can be secured by a number of methods. These include : (1) the re-heating and re-circulating of effluent solutions ; (2) the heating of the caliche in the vat by means of high-pressure steam, low-pressure hot air, or flue gases ; and (3) the heating of the caliche before delivery to the vat.

Although caldo production in the leaching vat presents favourable features, there are advantages to be gained in the adoption of a process whereby a lower-grade solution is formed in contact with the charge. By the precipitation and re-dissolution of nitrate or by evaporative concentration, or both, a caldo may then be produced as a separate phase of treatment.

Precipitation of Nitrate from Caldillo, followed by Re-dissolution of Crystals to form Caldo.—The success of the majority of leaching processes depends on the feasibility of the con-

tinuous passage of a solvent solution through the charge; and, so long as a certain minimum concentration is exceeded, the deposition outside the vat, by a precipitation process, of the soluble material so extracted. In the leaching treatment of caliche the crystals deposited by chilling from comparatively low-temperature solutions would contain salt. Further, the chilling of a large quantity of weak caldillo would present obvious disadvantages.

The basic idea of precipitation of dissolved material and return of impoverished solution for extraction purposes would be feasible in the instance under review by (a) precipitating salt and nitrate from a proportion of the caldillo produced by counter-current heat transference to refrigerated solution; (b) separating the clear liquor from the deposited crystals; and (c) producing a caldo by means of a further supply of caldillo from the leaching vat, in contact with the deposited crystals and the application of heat.

Cold nitrate brine, as a suitable medium for heat absorption from the first portion of the caldillo, would be available from an *agua vieja* refrigeration plant. With increasing temperature there would be no danger of crystallisation in the cold brine pipes. Heat transference would be arranged in a precipitation vat provided with stirrer arms, the agitation of the solution assisting heat transfer and preventing the deposition of crystals on any part of the apparatus. The separation of crystals from solution can be made in a grainer with mechanical rakes, as used in the salt industry.

Vacuum-pan Evaporation.—A considerable amount of work has been done in connection with the concentration of nitrate liquors in vacuum-pan evaporators, and reliable data are available which indicate the practicability of the method.

High-grade caldo, which is desirable under all circumstances, can only be produced by a corresponding high temperature. This indicates a difficulty in operating multiple-effect pans: the final liquor is dense and only circulated with difficulty, and there is a danger of the precipitation of nitrate in the high-vacuum effects. The problem of handling the large amount of salt deposited and the need for the frequent cleaning of the apparatus indicates the need for efficient control.

The success of vacuum-pan evaporation of water in the salt industry is largely the result of the utilisation of exhaust steam. The cost of producing power on the nitrate pampa is so high and the amount of exhaust steam available is so small that little advantage results by the installation of vacuum-pan evaporators. It would appear that the logical location for such apparatus would be at the coast. Considerable economies could be effected by the utilisation of exhaust steam from plants supplying current for mining or nitrate enterprises inland, local power requirements, or from the electrification of railways.

The solution to be evaporated at the port works would preferably be a refrigerated or cooled agua vieja, transported to the coast in pipe line or by means of oil tank cars, which are now returned to

the coast empty. The products at the port works would be commercial nitrate and water.

THE ADVANTAGES OF SUCH A SCHEME ARE :

1. Economical distillation of water, available for sale at the coast.
2. Saving in freight on fuel from port to pampa ; and freight of a considerable proportion of total nitrate produced, from pampa to port.
3. Improved extraction of nitrate in the leaching plant by the avoidance of return of nitrate solution (agua vieja or agua feble) ; and more rapid treatment.
4. Concentration of power plant and evaporator work at the coast, where conditions are more favourable for keeping the high-class mechanical labour required, and for maintaining the equipment in satisfactory condition.
5. Major plant expenditure will be in connection with port works, which will be available for the treatment of brine from the nitrate fields in the vicinity, or between the port works and the nitrate plant.
6. Opportunity to purchase agua vieja from small oficinas near the railroad or pipe line at low rates, for all operators know that, by avoiding the return of agua vieja to the plant, greatly improved results can be secured.

THE EVAPORATION OF WATER FROM NITRATE SOLUTIONS.

The evaporation of water from nitrate solutions constitutes one of the major expenses of caliche treatment at the present time. The efficiency of any alternative to the Shanks process will depend largely on how cheaply the commercial product can be obtained from the solutions resulting.

Solar Evaporation.—Primary consideration must be paid to the possibility of utilising the extraordinarily favourable atmospheric conditions prevailing at all seasons of the year on the Chilean nitrate pampa—the heating effect of the sun, the abnormal dryness of the atmosphere, the persistence of high winds, and the almost entire absence of rainfall. These advantages point to conditions which are highly favourable to solar evaporation. The feasibility of utilising the evaporative powers of the air in conjunction with the sun-heating of thin layers of liquor at a negligible expense offers advantages that cannot well be disregarded. The problem confronting the industry as soon as the present high-grade deposits are nearing exhaustion will be in connection with the recovery of a commercial nitrate from a comparatively low-grade brine. The fractional crystallisation of such a solution by solar evaporation and the production

of an impure crystal must be inevitably an important phase of any logical scheme suggested.

The principal objection to the adoption of a system of solar evaporation in Chile is the porous, absorptive nature of the ground on the pampa when considered for such a purpose. The flats must necessarily cover a large area. If constructed of steel, the expense would be prohibitive. Concrete is generally unsuitable for nitrate solutions, especially in view of the fact that minor earthquake shocks are of frequent occurrence.

In practically all parts of the nitrate pampa a finely-divided clayey material is encountered, locally known as borra. It is proposed (patent applied for) to enclose suitable areas of flat or levelled ground with walls of masonry, borra pug, or other impervious mixture, at a small distance above and below the ground. Chuca, costra, caliche, or other earthy material in the vicinity, or obtained from the levelling of the ground, and containing the borra or clay mentioned, will be delivered to a type of mixing machine, and a pulp obtained by the addition of water. If the mixture contains over a certain percentage of sand or coarse material, the pulp will be classified—the coarser proportion will be removed by hydraulic or cone classifiers or by mechanical means, or by hand labour. The remaining liquid, containing the borra, will if necessary be thickened, and the excess of water thereby removed. Borra pulp obtained either in the manner described, or resulting from the treatment of caliche by the Shanks or other process

which results in a classification, will be pumped or delivered by other suitable means to the enclosure, over which it will be allowed to flow. As soon as a complete layer has been formed, of suitable thickness, the borra may be left exposed and so partly dried, so that it can be rolled and levelled. A top layer of sand, gravel, or other material may then be added for a surface; or the flat may be flooded with brine and the crystals resulting from subsequent evaporation may be utilised to form a protective bed.

Experiments have demonstrated that a considerable amount of commercial nitrate can be obtained by the solar evaporation of water from agua vieja, especially if the evaporated water is replaced at the same time by more agua vieja. Beyond a certain point an impure nitrate-salt crystal is produced, and at a later stage it would be profitable to return the brine liquor to the treatment plant.

Certain flats would be used for the crystallisation of a commercial product, the solution being pumped to other flats as soon as the percentage of salt being deposited rose above the economic limit. The commercial crystals would be centrifuged in the usual way, to lower salt percentage by the reduction of the amount of entrained brine in contact with the product; and then sacked or otherwise prepared for shipment. The impure crystals from the second series of flats would be delivered to the refining plant, where any available solution would be used to prepare a caldo by ad-

mixture with the impure crystals and the application of heat, the excess salt crystallising out as the density of the liquor increased, or remaining as an insoluble. The usual methods can be followed for the separation of the salt and the crystallisation of commercial nitrate from the caldo produced.

The harvesting of the crystals produced in the solar evaporation flats would be carried out by mechanical means, and by the use of apparatus the efficiency of which has been amply demonstrated in the salt industry. The most suitable machine for the purpose would loosen the deposit by means of a plough, elevate the crystals by chain and bucket elevator, and deposit them into cars.

Spraying of Caliche Piles.—Piles of caliche are exposed, at several stages in the handling of the material, to the hot sun and dry air of the pampa. It is suggested that advantage be taken of the absorptive nature of the atmosphere to accomplish some of the necessary evaporation by spraying the piles with *agua vieja* or other nitrate liquor. The disadvantage in the proposal is seen in the complication introduced in connection with the accounting of nitrate recovery.

It is not suggested that the system should form a fundamental phase of any scheme of treatment, or be relied upon for the evaporation of large amounts of water. On the other hand, the cost of the operation would be negligible.

Spray Evaporation of Water in Hot Nitrate Solutions, in Presence of Flue Gases, and above Moving Caliche Bed.—With an ability to regulate

the operation, an efficiency of about 75 per cent. of heat in flue gases may be expected if spraying is practised. If a considerable amount of water is required to be evaporated by this method, then the heat from the flue gases may be supplemented by oil burners. The solutions cannot be concentrated, but a system of operation to insure evaporation of water and the automatic handling of crystals produced might be arranged on the following lines :

The caliche to be fed to a storage bin after having been fine-crushed to the required size, and distributed over the width of a pan conveyor forming the floor of the spray compartment. This conveyor would deliver to a second conveyor system feeding the leaching vats.

The spray house, of which the pan conveyor forms the floor, would be provided with intake fans and free exit, or free intake and exit fans. The air passing into the spray house would be under strict control, with low velocity to prevent drift losses. The walls of the spray house would be thoroughly insulated to prevent heat losses. With the walls at a lower temperature than the solution it is improbable that any considerable deposition of crystals would occur there. Hot agua vieja could be used, being atomised by any of the various methods of spraying in use. Deposited crystals would fall on the moving caliche bed, to be mixed with the charge. It might be found desirable to regulate the agua vieja flow so that an evaporation of about 50 per cent. of the water content of

the solution would be obtained, and the deposited material would then be mostly salt.

A possible advantage of the scheme would be that operation could be made to produce a calcination of the borra particles in the charge. If a counter-current flow of flue gases and caliche was arranged in some type of tumbler, the borra particles would be released from the charge, exposed to maximum heat, carried forward to the spray chamber, where they would be trapped by means of the semi-evaporated brine spray possibly rendered less refractory for leaching treatment, and mixed with the charge in the identical proportions in which they originally existed.

Spray Evaporation of Water from Atmospheric-Temperature Solutions by means of Nozzles.— In such a system there can be no appreciable heat losses. But heat loss is a necessary concomitant to evaporation, so that with atmospheric-temperature solution and cold air it is obvious that evaporation will be insignificant in proportion to size of plant and power required. It has been found in practice that efficient control involves considerable supervision. A minute, impure, slime crystal is formed, which must be handled by means of settling and pumping equipment. Nozzle-spray evaporation under such conditions is only feasible with agua vieja or lower-grade solutions. The latter, however, are invaluable for dissolving and replacing purposes in leaching treatment, and their abstraction at any earlier stage of the process would interfere seriously.

with the efficient extraction of nitrate from the caliche.

Appreciable evaporation (up to 5 per cent. of the water contained, per passage through the nozzle) can only be secured by an exceedingly fine atomisation of the solution, involving comparatively high pressures. Complete evaporation of water in individual particles of solution, therefore, results, and a considerable amount of salt is deposited. Chokage of the nozzles is of frequent occurrence with a solution of the density and other characteristics of cold *agua vieja*. The clearing of the pipe lines with steam tends to free iodine, and corrosion results, the scale produced causing continual trouble.


Evaporation in Multiple-Effect Vacuum Pans.—Full-scale evaporator plants are in operation on the Chilean pampa, and sufficient data are available for commercial plant design. Multiple-effect evaporators combine the advantages of *caldo* production, heat economy, water conservation, and quick evaporation in one step. By the use of *caldillo*—the first solution from a leaching plant—a solution is taken which has no value for replacement or dissolving purposes.

The disadvantages of vacuum-pan evaporators are seen in high first costs, possible danger through depreciation from iodine corrosion, and the frequent need for cleaning, thus reducing the evaporating efficiency and the capacity of the plant.


USE OF THE GRAINER FOR EVAPORATION AND CRYSTALLISATION PURPOSES.

Grainers with mechanical raking devices (see Fig. 2, patent applied for by inventor—G. B. Willcox) have been used extensively in the salt industry, and have recently been adopted for the cooling and evaporation of water from concentrated liquors made from the crystals produced by the fractional crystallisation (by solar evaporation) of potash brine. The size of the grainers now used is standardised, being 150 feet long, 12 feet wide, and 2 feet deep. Steel is generally used for the tray, and is recommended in place of concrete, especially in the case where hot liquors are being handled.

The raker is of light angle-iron construction with cross braces, at intervals, which carry scraper blades. A slow, long stroke is given to the mechanism by means of direct connection with the piston of an hydraulic cylinder. On the forward stroke the blades push the salt forward and up the incline. On the return stroke the blades feather the deposit. The brine forms the lubricant. Wearing plates on the side angles move on cast-iron shoes placed in the bottom of the grainer. The stuffing-box connection shown in the accompanying illustration is seldom used. The cylinder piston-rod extension



Plan



Sectional Elevation

Fig. 2.—Plan and Sectional Elevation of Automatic Crystal Raker, with Hydraulic Drive.

[By courtesy of Wilcox Eng. Co., Saginaw, Mich.]

is usually connected direct to a light angle-iron structure, which is riveted to the tail end of the mechanism away from the salt discharge. Apart from this connection, the raker is entirely submerged.

Water pressure is used to operate the cylinder, the liquid being in continuous circuit through the cylinder and back to the pressure pump. Adjustment of stroke frequency or speed is made by opening or closing the valve leading to the cylinder.

The grainers operate in buildings in which quantity of air supplied is under control, and where minimum loss of heat occurs. At one potash refinery, three standard rakers, equipped with Willcox mechanisms, are used in series. The hot potash caldo enters at the head of the first grainer, near the crystal discharge, passes out through the tail of the first grainer into the tail of the second, out of the head of the second into the head of the third, and finally out of the tail of the third. During passage through the grainers the potash brine drops to atmospheric temperature. The collection of crystals is entirely automatic, the product is comparatively coarse, and carries about 8 per cent. moisture.

It would appear that, in the absence of any sudden chilling of the solution, all crystallisation begins on the surface of the liquor. Crystals formed in this manner are free and fall to the bottom. With ordinary grainer operation there appears to be no growth of crystals except at the sides, and if these were properly insulated it is suggested that no crystallisation would occur there.

No work appears to have been done in Chile with regard to the automatic handling of crystals deposited from nitrate solutions, in spite of the high cost of operation and clumsiness of the present methods. It is suggested that there is a field for the use of grainers,

FITTED ENTIRELY OR FOR A PORTION OF
LENGTH WITH STEAM PIPES.

- (a) In connection with the desalting and concentration of caldillo or other liquor.
- (b) In connection with the final concentration and desalting, or desalting only, of vacuum-pan liquor.

WITHOUT STEAM PIPES.

- (a) For evaporation and crystal deposition with continuous flow of solution.
- (b) In connection with the evaporation of water from caldo, the utilisation of the majority of the contained heat, and without the deposition of a prohibitive amount of salt.

The advantages to be gained by the successful adoption of such a system would include :

1. Reduction in area of plant required.
2. Ability to grade product, from high-grade crystals containing caldo (with low salt percentage) as moisture, to the ordinary commercial nitrate.

3. Elimination of all hand labour, and the continuous and automatic delivery of crystals of varying grades, from pure nitrate to a commercial product.
4. Elimination of laundrer delivery of caldo for distances, with reduction of radiation losses, prevention of formation of small crystals and high moisture percentage in product.
5. Ability to control heat losses during earlier stage of cooling, so as to obtain maximum evaporation of water; and ability to hasten later stage when evaporation is slight.

1136

1136



INDEX.

A

ACCOUNTING of results, 3, 25.
Action in the chullador, 9.
Allen extraction process, 21.
—— actual results, 31.
—— advantages, 25, 32.
—— differentiation from
 Shanks, 26.
—— essential apparatus, 27.
—— operation, 23.
Alternative scheme of treatment,
 19.

C

CALICHE piles, Spraying of, 40.
Centrifuge, 39.
Charge, Enrichment of, 6.
Conveyors, 5, 41.
Crushing, 1, 21.
Crystallisation, 2, 15, 16, 25.
Crystals, Separation of, 34.

E

ENRICHMENT of charge, 6.
Evaporation, 8, 14, 15, 28, 30,
 37, 41, 42, 43, 44.
—— at port works, 35.
—— Vacuum pan, 35, 43.

F

FILTRATION, 12.
Flats, Formation of, 38.
Flour, Use of, as settling agent,
 2.
Flue gases, use in evaporation
 from hot nitrate solution, 40.
Fundamentals of Allen Extrac-
 tion process, 21.

G

GRAINER, advantages, 47.
—— Use of, 34, 44.
Grainers, Use of, with and with-
 out steam pipes, 47.

H

HAND-PICKING, 2.
Heating of nitrate solutions, 28.

M

MODIFICATIONS in operation (ex-
 traction stage), 11.
Muddy solutions, 10.

N

NITRATE from borra, Extraction of, 13.
 — Production of commercial, 33.
 — solutions, Heating of, 28.

P

PERCOLATION, 21-25.
 Plough, Use of, in harvesting of crystals, 40.

R

RADIATION losses, 8, 30.
 Rakes, Mechanical, 34.
 Refining plant, 39.
 Residue, 2.
 Rock breakers, 1.
 — wear of jaws, 5.

S

SALT in crystals, 34.
 — in suspension, 10.
 — percentage, Reduction of, 39.
 Sampling, 3.
 Settling agent, 2.
 Shanks process, 1.
 — crystallisation stage, 14.

Shanks process, displacement stage, 6.
 — extraction stage, 5.
 — general results, 17.
 — Unsatisfactory feature of, 16.
 — Weak features of, 8.
 Solar evaporation, 37.
 Solution transfer, 1.
 Sponge, evaporation by nozzles 42.
 Spraying of caliche piles, 40.
 Steam pipes for evaporation, 28.
 Supersaturation, 16.

T


TIME of treatment, 25.

V

VACUUM pan evaporation, 35, 43.
 Vaporisation, 8, 14, 15.
 Vats, 1.
 Vocabulary, xv.

W

WATER, Evaporation of, in the cachuchos, 8.
 Willcox, G. B., mechanical rake, 44.



CHARLES GRIFFIN & COMPANY,
LIMITED,
PUBLISHERS.

Catalogue Section:—

TECHNOLOGICAL
PUBLICATIONS.



THESE Publications may be obtained through any Bookseller in the United Kingdom, or will be sent on receipt of a remittance to cover published price and postage. To prevent delay, Orders should be accompanied by a Cheque or Postal Order crossed "NATIONAL PROVINCIAL AND UNION BANK OF ENGLAND, Chancery Lane Branch."

Telephone—
3634 Gerrard.

LONDON: "Explanatus, Rand, London."

Telegrams—

12 EXETER STREET, STRAND, W.C. 2.

Griffin's Local Government Handbooks.

WORKS SUITABLE FOR MUNICIPAL AND COUNTY
ENGINEERS, ANALYSTS, AND OTHERS.

- Civil Engineering Practice.** By F. NOEL TAYLOR. With over 800 Pages and over 1,000 Illustrations. Cloth. 30s.
- The Main Drainage of Towns.** By F. NOEL TAYLOR. Pp. i-xi+313. With over 850 Illustrations. 15s.
- Practical Sanitation: A Handbook for Sanitary Inspectors and others.** By GEO. REID, M.D., D.P.H. NINETEENTH EDITION, Thoroughly Revised. 7s. 6d.
- Sanitary Engineering.** By FRANCIS WOOD, A.M.Inst.C.E. THIRD EDITION, Revised. Pp. i-xv+306. 10s. 6d.
- Modern Methods of Sewage Purification.** By G. BERTRAM KERSHAW, Engineer to the Sewage Commission. Fully Illustrated. 25s.
- The Principles of Sewage Disposal.** By Prof. DUNBAR of Hamburg. Translated by H. T. CALVERT, M.Sc.
- Trade Waste Waters.** By H. WILSON, M.D., and H. T. CALVERT, Ph.D. Fully Illustrated. 21s.
- Trades' Waste: Its Treatment and Utilisation.** By W. NAYLOR, F.C.S., A.M.Inst.C.E. 25s.
- Modern Destructor Practice.** By W. F. GOODRICH, A.M.Inst.C.E. Pp. i-xvi+278. 18s.
- Refuse Disposal.** By Prof. E. R. MATTHEWS, A.M.Inst.C.E. Very fully Illustrated. 7s. 6d.
- Water Supply: Selection of Sources and Distribution.** By REGINALD B. MIDDLETON, M.Inst.C.E., M.Inst.Mech.E., F.S.I. Crown 8vo.
- Water Analysis for Sanitary and Technical Purposes.** By H. B. STOCKS, F.I.C., etc. 6s.
- Calcareous Cements: Their Nature, Preparation, and Uses.** By GILBERT REDGRAVE, Assoc.Inst.C.E., and CHAS. SPACKMAN, F.C.S. SECOND ED. 18s.
- Handbook for Cement Works Chemists.** By F. B. GATEHOUSE, F.C.S. 6s.
- Handbook on Town Planning.** By JULIAN JULIAN, B.E. 6s.
- Road Making and Maintenance.** By THOS. ATKEN, A.M.Inst.C.E. SECOND EDITION. Fully Illustrated.
- Central Electrical Stations: Their Design, Organisation, and Management.** By C. H. WORDINGHAM, A.K.C., M.Inst.C.E. SECOND EDITION. 30s.
- Transformers.** By HERMANN BOHLE, M.I.E.E., and Prof. DAVID ROBERTSON, B.Sc. Pp. i-xiv+356. Profusely Illustrated. 25s.
- Electrical Photometry and Illumination.** By Prof. H. BOHLE. Pp. i-xi+222. Profusely Illustrated. 12s. 6d.
- Electricity Meters.** By HENRY G. SOLOMON, Assoc.M.Inst.E.E. In Medium 8vo, Handsome Cloth. Profusely Illustrated. 18s.
- The Calorific Power of Gas.** By J. H. COSTE, F.I.C., F.C.S. Illustrated. 7s. 6d.
- Fuel: Gaseous, Liquid, and Solid.** By J. H. COSTE, F.I.C., and E. ANDREWS, F.I.C. 7s. 6d.
- Smoke Abatement.** A Manual for Manufacturers, Inspectors, Engineers, and others. By WILLIAM NICHOLSON. Fully Illustrated. 7s. 6d.
- Fire and Explosion Risks. The Detection, Investigation, and Prevention of Fires and Explosions.** By Dr. VON SCHWARTZ. Cloth. 18s.
- Milk: Its Production and Uses.** With Chapters on Dairy Farming, The Diseases of Cattle, and on the Hygiene and Control of Supplies. By EDWARD F. WILLOUGHBY, M.D., D.P.H. 7s. 6d.
- Flesh Foods: With Methods for their Chemical, Microscopical, and Bacteriological Examination.** By C. AINSWORTH MITCHELL, B.A., F.I.C. 10s. 6d.
- Foods: Their Composition and Analysis.** By A. WYNTER BLYTH, M.R.C.S., F.C.S., and M. W. BLYTH, B.A., B.Sc. SIXTH EDITION. 21s.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

TECHNOLOGICAL WORKS.

- Chemistry for Engineers and Manufacturers** By B. BLOUNT, F.I.C., and A. G. BLOXAM, F.I.C. Vol. I.—SECOND EDITION, 14s. Vol. II.—SECOND EDITION, 16s.
- Oils, Fats, Butters, and Waxes.** By ALDER WRIGHT and MITCHELL.
- Oils, Resins, and Paints (Analysis and Valuation).** By HARRY INGLE, D.Sc. 4s.
- Physico-Chemical Tables.** By J. CASTELL-EVANS F.I.C. Vol. I.—Chemical Engineering, 30s. Vol. II.—Physical and Analytical Chemistry, 42s.
- Quantitative Inorganic Analysis.** By Dr. J. W. MELLOR. 36s.
- Water Analysis for San. and Tech. Purposes.** By H. B. STOKES. 5s.
- Methods of Air Analysis.** By J. S. HALDANE, M.D., LL.D. F.R.S. 6s.
- The Principles and Practice of Brewing.** By Dr. W. J. SYKES. THIRD EDITION, Revised by A. R. LING, F.I.C. 25s.
- Technical Mycology.** Dr. F. LAFAR. SECOND EDITION. In Two Vols. Vol. I., 18s. Vol. II., 30s.
- Micro-Organisms and Fermentation.** By ALFRED JÜRGENSEN. FOURTH EDITION, Completely Revised. Translated by S. H. DAVIES, B.Sc. 18s.
- Ferments and their Actions.** By C. OPPENHEIMER. Translated by C. A. MITCHELL, B.A., F.I.C. In Cloth. 9s.
- Vinegar : Its Manufacture and Examination.** By C. A. MITCHELL, B.A., F.I.C. 10s. 6d.
- Peat : its Use and Manufacture.** By BJÖRLING and GISSING. 7s. 6d.
- Commercial Peat : Its Uses and its Possibilities.** By F. T. GISSING. 7s. 6d.
- Peat Industry Reference Book.** By F. T. GISSING. Illustrated.
- Paper Technology.** By R. W. SINDALL, F.C.S. THIRD EDITION, Revised.
- Stationary Testing.** By H. A. BROMLEY. Fully Illustrated. 3s.
- The Clayworkers' Handbook.** By A. B. SEARLE. THIRD EDITION.
- British Clays, Shales and Sands.** By A. B. SEARLE. Illustrated. 9s.
- Ceramic Literature.** Compiled, Classified, and Described by M. L. SOLON. 50s.
- Art of the Goldsmith and Jeweller.** By T. B. WIGLEY. SECOND EDITION. 9s.
- Smoke Abatement.** By WM. NICHOLSON. With Illustrations. 7s. 6d.
- Catechous Cements.** By G. R. REDGRAVE and CHARLES SPACKMAN, F.C.S. SECOND EDITION. 18s.
- Handbook for Cement Works' Chemists.** By FRANK B. GATHOUSE, F.C.S. In Handsome Cloth. 6s.
- Calorific Power of Coal Gas.** By J. H. COSTE, F.I.C. 7s. 6d.
- Fuel: Gaseous, Liquid, and Solid.** By J. H. COSTE and E. R. ANDREWS. 7s. 6d.
- Acetylene.** By F. H. LEEDS and W. J. A. BUTTERFIELD. SECOND EDITION. 10s. 6d.
- Fire and Explosion Risks.** By Dr. VON SCHWARTZ. In Cloth. 18s.
- Enamelling on Iron and Steel.** By JULIUS GRÜNWARD. Cloth. Illustrated. 7s. 6d.
- Technology of Iron Enamelling and Tinning.** By JULIUS GRÜNWARD. 7s. 6d.
- Raw Materials of the Enamel Industry.** By J. GRÜNWARD. 10s. 6d.
- The Chemistry of the Colloids.** By Dr. V. PÜSCHL. Translated by Dr. H. HODGSON 4s.
- Celluloid : its Manufacture, Application, and Substitutes.** From the French of MASSELOIN, ROBERTS, and OLLIARD. By Dr. H. H. HODGSON. 30s.
- Chemistry of India Rubber.** By C. O. WEBER, Ph.D. THIRD IMPRESSION. With many Illustrations. 18s.
- The Manufacture of Rubber Goods.** By ADOLF HEIL and Dr. W. ESCH. Translated by E. W. LEWIS, A.C.G.I. In Cloth. Illustrated. 12s. 6d.
- Glue, Gelatine, and their Allied Products.** By THOMAS LAMBERT. In Large Crown 8vo, Fully Illustrated. 6s.
- Leather Trades Chemistry.** By S. R. TROTMAN M.A. F.I.C. In Handsome Cloth. Fully Illustrated. 18s.
- Ink Manufacture.** By C. A. MITCHELL, B.A., F.I.C. and T. C. HERWORTH. SECOND EDITION, Revised. In Cloth. With Plates and Illustrations. 9s.
- Inorganic Chemistry.** By A. DUPRE and WILSON HAKE. THIRD EDITION. 7s. 6d.
- Elements of Chemical Engineering.** By J. GROSSMANN, Ph.D. SECOND EDITION. 4s.
- Elementary Practical Chemistry.** MYERS and FIRTH. 4s. 6d.
- Outlines of Quantitative Analysis.** By A. H. SEXTON, F.I.C. FIFTH EDITION. 3s.
- Outlines of Qualitative Analysis.** By A. H. SEXTON, F.I.C. FOURTH EDITION 3s. 6d.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

THE FERMENTATION INDUSTRIES.

THIRD EDITION. Cloth. Fully Illustrated. 25s.

PRINCIPLES AND PRACTICE OF BREWING.
FOR THE USE OF STUDENTS AND PRACTICAL MEN.

BY WALTER J. SYKES.

REVISED BY ARTHUR R. LING, F.I.C., F.O.S.,

Editor of the Journal of the Institute of Brewing.

CONTENTS.—Physical Principles Involved.—The Chemistry of Brewing.—The Microscope.—Vegetable Biology.—Fermentation.—Water.—Barley and Malt.—Arrangement of Brewery Plant.—Quantities of Materials.—Fermentation.—Antiseptics.—Finings.—Characteristics of Beer.—Diseases of Beer.—INDEX.

"A thorough and comprehensive text-book . . . up-to-date . . . a standard text-book."—*Brewers' Journal*.

In Large 8vo. In Two Volumes.

*Each Volume Complete in Itself, and Sold Separately.***TECHNICAL MYCOLOGY:***The Utilisation of Micro-organisms in the Arts and Manufactures.*

BY DR. FRANZ LA FAR,

Prof. of Fermentation-Physiology and Bacteriology in the Technical High School, Vienna.

TRANSLATED BY CHARLES T. C. SALTER.

Vol. I.—SCHIZOMYCETIC FERMENTATION. 18s.**Vol. II.—EUMYCETIC FERMENTATION.** 80s.

NOTE.—Part I. of Vol. II. was issued separately at 7s. 6d. Copies of Part II., Vol. II., have, therefore, been bound up to enable those possessing Part I. to complete their copies. The price of Vol. II., Part II., is 18s. net.

"The first work of the kind which can lay claim to completeness in the treatment of a fascinating subject. The plan is admirable, the classification simple, the style is good, and the tendency of the whole volume is to convey sure information to the reader."—*Lancet*.FIFTH EDITION. In Demy 8vo. Revised Throughout. Pp. i-xi + 489.
With 101 Illustrations. In Cloth. 18s.**MICRO-ORGANISMS AND FERMENTATION.**

BY ALFRED JÖRGENSEN.

TRANSLATED BY SAMUEL H. DAVIES, M.Sc.

CONTENTS.—Microscopical and Physiological Examination—Biological Examination of Air and Water—Bacteria—Moulds—Yeasts—The Pure Culture of Yeasts on a Large Scale.—INDEX.

"The student taking up this subject would do well to work through this book first and then take Laifar's."—*Brewing Trade Review*.

In Crown 8vo. Cloth. Price 9s.

FERMENTS: AND THEIR ACTIONS.*A Text-book on the Chemistry and Physics of Fermentative Changes.*

BY CARL OPPENHEIMER, Ph.D., M.D.

TRANSLATED BY C. AINSWORTH MITCHELL, B.A., F.I.C., F.O.S.

CONTENTS.—Introduction.—Definition of Ferment.—Chemical Nature of Ferment.—Influence of External Factors on Ferments.—Mode of Action.—Physiological Action.—Secretion of Ferments.—Ferments and the Vital Processes.—A. THE HYDROLYTIC FERMENTS: Proteolytic Ferments.—Trypsin.—Bacteriolytic and Hamolytic.—Proteolytic Vegetable Ferments.—Coagulating Ferments.—Saccharifying Ferments.—Animal Diastases.—Enzymes of the Disaccharides.—Ferments which decompose Glucosides.—Lactic Acid Fermentation.—B. THE OXIDISING FERMENTS: Alcoholic Fermentation.—Biology of do.—The Oxydases.—Acetic, Oxalic, and similar Fermentations.—Bibliography.—INDEX.

"Such a veritable *multum in parvo* has never yet appeared."—*Brewers' Journal*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

CHEMISTRY AND TECHNOLOGY.

In Large Svo. Cloth. Pp. i-xvi+201. With 53 Illustrations. 10s. 6

VINEGAR:

ITS MANUFACTURE AND EXAMINATION.

By C. AINSWORTH MITCHELL, F.I.C.

CONTENTS.—Introduction.—Theories of Acetic Fermentation.—The Acetic Bacterium.—Chemical Reactions in Acetification.—Acetic Acid.—Preparation of the Gyle.—Acetification of the Gyle.—Treatment of Crude Vinegar.—Methods of Examination.—Characteristics of Different Vinegars.—APPENDICES.—INDEX.

"No one is better able to perform the task than Mr. Mitchell . . . a most useful addition to the literature."—*Brewers' Journal*.

In Two Vols., Large Svo. With Illustrations. Sold Separately.

CHEMISTRY FOR ENGINEERS AND MANUFACTURERS.

BY

BERTRAM BLOUNT, F.I.C., & A. G. BLOXAM, F.I.C.

Vol. I. SECOND EDITION. Pp. i-xiii + 392. 14s.

CHEMISTRY OF ENGINEERING, BUILDING, AND METALLURGY.

General Contents.—INTRODUCTION.—Chemistry of the Chief Materials of Construction.—Sources of Energy.—Chemistry of Steam-raising.—Chemistry of Lubrication and Lubricants.—Metallurgical Processes used in the Winning and Manufacture of Metals.—INDEX.

Vol. II. SECOND EDITION. Pp. i-xv + 513. 16s.

CHEMISTRY OF MANUFACTURING PROCESSES.

General Contents.—Sulphuric Acid Manufacture.—Alkali, &c.—Destructive Distillation.—Artificial Manure.—Petroleum.—Lime and Cement.—Clay and Glass.—Sugar and Starch.—Brewing and Distilling.—Oils, Resins, and Varnishes.—Soap and Candles.—Textiles and Bleaching.—Colouring Matters, Dyeing and Printing.—Paper and Pasteboard.—Pigments and Paints.—Leather, Glue, and Size.—Explosives and Matchboxes.—Minor Manufactures.—INDEX.

"A fascinating book, packed full of immensely interesting and useful information."—*Engineer*.

"Should form a handy book of reference to both chemical engineers and works managers."—*Chemical Trade Journal*.

In Two Volumes, Half Morocco, each complete in itself.

PHYSICO-CHEMICAL TABLES

For the Use of Analysts, Physicists, Chemical Manufacturers and Scientific Chemists.

Volume I.—Chemical Engineering, Physical Chemistry.

Pp. i-xxxii + 548. 30s.

Volume II.—Chemical Physics, Pure and Analytical Chemistry

Pp. i-xiv + 549 to 1235. With Index to the two Volumes. 42s.

By JOHN CASTELL-EVANS, F.I.C., F.C.S.

The Work comprehends as far as possible ALL RULES AND TABLES required by the Analyst, Brewer, Distiller, Acid- and Alkali-Manufacturer, &c., &c.; and also the principal data in THERMO-CHEMISTRY, ELECTRO-CHEMISTRY, and the various branches of CHEMICAL PHYSICS. Every possible care has been taken to ensure perfect accuracy, and to include the results of the most recent investigations.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.

In Medium 8vo. Cloth. Pp. i-viii + 133. With Tables. 7s. 6d.

A LABORATORY HANDBOOK.

AIDS IN THE COMMERCIAL ANALYSIS OF OILS, FATS, & THEIR MANUFACTURED PRODUCTS

By GEORGE FENWICK PICKERING,

Head Chemist and Works Manager, formerly Research Assistant to
the late Dr. Lewkowitsch.

CONTENTS.—Sampling and Preparation for Analysis.—Physical Properties.—Chemical Examination.—Fatty Oils, Miscible Castor, Boiled Oils, Blown Oils, etc.—Sulphonated Oils, Neutral Fats, Foods, etc.—Fat Splitting and Distillation Products.—Glycerine.—Resin.—Recovered Products and their Distillation Products.—Mineral Oils and Waxes and Lubricating Greases.—INDEX.

"This handbook contains a good deal of analytical data not found in the larger textbooks, and should prove useful as a laboratory manual to the technical oil chemist engaged in the analysis of manufacturers' by-products."—*Perfumery and Essential Oils Record*.

"The volume is unique and should be in the library of everyone having to do with the analysis of oils and fats."—*Journal of Industrial Engineering and Chemistry*.

THIRD EDITION. In Large 8vo. Cloth.

OILS, FATS, BUTTERS, AND WAXES: THEIR PREPARATION AND PROPERTIES, AND MANUFACTURE THERE- FROM OF CANDLES, SOAPS, AND OTHER PRODUCTS.

By C. R. ALDER WRIGHT, D.Sc., F.R.S.

Thoroughly Revised Throughout

By C. AINSWORTH MITCHELL, B.A., F.I.C., F.C.S.

ABRIDGED CONTENTS.—General Composition and Nature of Oils, Butters, Fats, and Waxes.—Physical Properties of Oils, Fats, Waxes, etc.—Chemical Properties.—Processes for Extracting, Rendering, Refining, and Bleaching.—Classification and Uses of Fixed Oils, Fats, Waxes, etc.—Adulteration.—The Candle Industry.—The Soap Industry.—INDEX.

"Will be found ABSOLUTELY INDISPENSABLE."—*The Analyst*.

In Demy 8vo. Cloth. Pp. 108. With Frontispiece and other Plates. 6s.

THE PLANTING, CULTIVATION, AND EXPRESSION

OF

COCONUTS, KERNELS, CACAO

AND

EDIBLE VEGETABLE OILS AND SEEDS OF COMMERCE.

A PRACTICAL HANDBOOK

For Planters, Financiers, Scientists, and Others.

By H. OSMAN NEWLAND, F.R.Hist.S., F.I.D., &c.

CONTENTS.—Introduction.—The Coconut and Its Uses.—Palm Oil and Kernels.—The Ground Nut.—The Shea Nut and Butter.—The Cacao Bean.—The Soya Bean, Cottonseed, and Sesame.—Babassu and Paraguay Kernels and Miscellaneous Nuts.—APPENDIX: List of Societies and Companies, etc., interested in Edible Oils.—INDEX.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

In Crown 8vo. With Diagrams.

A MANUAL OF OILS, RESINS, AND PAINTS.

FOR STUDENTS AND PRACTICAL MEN.

By HARRY INGLE, D.Sc., Ph.D., F.I.C.

ANALYSIS AND VALUATION. Price 4s.

By HARRY INGLE, D.Sc., AND J. A. L. SUTOLIFFE, A.I.C.

CONTENTS.—Introduction.—Introduction to the Chemistry of the Oils, Gums, etc.—Physical Tests.—Chemical Tests.—Qualitative Tests for Oils.—The Classification of Oils.—The Systematic Examination of Oils, Fats, and Waxes.—Technological Analysis.—Tables of Oil Constants.—INDEX.

In Large 8vo. Cloth. With Plates and Illustrations. 9s.

THE MANUFACTURE OF INK.

A Handbook of the Production and Properties of Printing, Writing, and Copying Inks.

By C. A. MITCHELL, B.A., F.I.C., F.C.S., & T. C. HEPWORTH.

"Thoroughly well arranged . . . and of a genuinely practical order."—*British Printer*.

In Crown 8vo. Cloth. Pp. i-xi+173. Fully Illustrated. 7s. 6d.

PEAT: Its Use and Manufacture.

By PHILIP R. BJÖRLING AND FREDERICK T. GISSING.

GENERAL CONTENTS.—Introduction.—The Formation of Peat.—Area and Depth of Bogs in Principal Countries.—Manufacture of Peat Fuel, &c.—Cut Peat, Dried Peat, and Manufactured Peat.—Machinery employed in the Manufacture of Peat Fuel.—Peat Moss Litter, and the Machinery employed in its Manufacture.—Peat Charcoal and its Manufacture.—Cost of making Peat Fuel and Charcoal.—Other Productions derived from Peat, such as Tar, Manure, Candles, Dyes, Paper, &c.—BIBLIOGRAPHY.—INDEX.

In Crown 8vo. Cloth. Pp. i-x+101. Fully Illustrated. 7s. 6d.

COMMERCIAL PEAT:

Its Uses and Its Possibilities.

By FREDERICK T. GISSING.

CONTENTS.—Alcohol from Peat.—Nitrates from Peat.—Ekenberg Wet Carbonising Process.—Utilisation of Peat, Peat Gas, Peat Gas Producers.—Peat for Sewage Purposes.—Reclamation and Cultivation of Peat Lands.—Peat from Falkland Islands.—Ziegler's Peat Coking Process.—Paper from Peat.—Peat Dryers.—Excavators.—Cutters.—Mining or Disintegrating Machine.—Squeezer.—Drying Ovens.—Hydro-Extractors.—Pallet Conveyor.—Peat Fuel Manufacture.—Destructive Distillation of Peat.—Peat Moss Litter.—Baling Process.—Litter Factory.—Peat Mull Grinding Mills.—Tearing and Mixing Machine.—Lennox Patent Plant.—Filters for Peaty Waters.—Peat Deposits.—APPENDICES.—INDEX.

In Pocket Size. Strongly Bound.

PEAT INDUSTRY REFERENCE BOOK.

By FREDERICK T. GISSING.

CONTENTS.—Formation, Classification, and Composition.—Working of Peat.—Treatment of Raw Material.—Peat and Peat Products as Solid Fuel.—Distillation of Peat.—Peat Gas.—Uses and Products other than Fuel.—Miscellaneous Information, Formulae, Tables, etc.—Utilisation of Peat.—APPENDICES.—INDEX.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

In Cloth. Pp. i-xxx + 778. With 2 Coloured Plates and 206 other Illustrations. 38s.

A TREATISE ON QUANTITATIVE INORGANIC ANALYSIS, With Special Reference to the Analysis of Clays, Silicates, etc.

By J. W. MELLOR, D.Sc.

PART I. General:—Introduction.—Weighing.—Measurement of Volumes.—Volumetric Analysis.—Colorimetry and Turbidimetry.—Filtration and Washing.—Heating and Drying.—Pulverisation and Grinding.—Sampling.—The Reagents. **PART II. Typical Silicate Analyses:**—Clays.—Volatile Matters.—Opening up Silicates.—Determination of Silica.—The Ammonia Precipitate.—Iron.—Titanium.—Calcium and Magnesium.—The Alkalies.—Abbreviated Analysis and Analytical Errors.—Electro-Analysis. **PART III. Glasses, Glazes, Colours, and Complex Silicates:**—Analysis of Glass, Glazes, Enamels and Colours.—Determination of Arsenic.—Antimony.—Tin.—Lead.—Bismuth and Mercury.—Copper and Cadmium.—Zinc.—Manganese.—Cobalt and Nickel. **PART IV. Special Methods:**—Bases: Determination of Molybdenum.—Tungsten, Columbium, and Tantalum.—Gold and Selenium.—Aluminium and Beryllium.—Special Methods for Non-Compounds.—Chromium, Vanadium, and Uranium.—Zirconium, Thorium, and the Rare Earths.—Barium, Strontium, Calcium, and Magnesium.—Alkalies and their Salts. **PART V. Special Methods:**—Acids and Non-Metals: Carbon.—Water.—Boron Oxide.—Phosphorus.—Sulphur.—The Halogens.—Rational Analysis of Clays.—APPENDICES.—INDICES.

"Will at once take its place in scientific literature as the standard work on the subject."—*Chemical News*.

In Demy 8vo, Cloth. Pp. i-xvii + 411. With 4 Coloured Plates and 263 other Illustrations. 18s.

CLAY AND POTTERY INDUSTRIES,

Being Vol. I. of the Collected Papers from the County Pottery
Laboratory, Staffordshire.

BY SEVERAL AUTHORS.

EDITED BY J. W. MELLOR, D.Sc.

. For Full List of Contents, send for Prospectus.

In Imperial 8vo. Strongly and Elegantly Bound in Half Leather.
Enclosed in Case. Pp. i-xviii + 660. £2 10s.

CERAMIC LITERATURE

Compiled, Classified, and Described by M. L. SOLON.

An Analytical Index to the Works Published in all Languages on the History and the Technology of the Ceramic Art; also to the Catalogues of Public Museums, Private Collections, and of Auction Sales in which the Description of Ceramic Objects occupy an important place; and to the most important Price Lists of the Ancient and Modern Manufactories of Pottery and Porcelain.

"A work of inestimable value to all serious study of Ceramics."—*Burlington Magazine*.

In Two Large Volumes. Each complete in itself and sold separately.

BRIQUETTING.

By PROF. G. FRANKE.

Translated by F. C. A. H. LANTSBERRY, M.Sc.,
Head of the Birmingham Small Arms Company's Laboratory; Carnegie Research
Scholar of the Iron and Steel Institute, &c.

Vol. I.—In Medium 8vo. Cloth. Pp. i-xxviii + 681. 38s.

BRIQUETTING OF COALS, BROWN COALS, AND OTHER FUELS.

Vol. II.—Pp. i-xi + 214. With 4 Plates and 70 Illustrations. 15s.

BRIQUETTING AND AGGLOMERATION OF ORES, METALLURGICAL
PRODUCTS, METAL SWARF, AND SIMILAR MATERIALS.

"To those who are interested in the industry the volume will prove a veritable storehouse of facts. The translator has performed his share of the work in a masterly manner."—*Engineering*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

In Crown 8vo. Pp. i-xi + 451. With 10 Plates, and 53 Figures in the Text. 9s.

AN INTRODUCTION
TO
British Clays, Shales, and Sands

By A. B. SEARLE, CANTOR LECTURER ON BRICKMAKING.

CONTENTS.—Igneous Rocks from which Clays are derived.—Formation of Clays, etc., from Igneous Rocks.—The Sedimentary Rocks.—The Clay-forming Portions of Sedimentary Rocks.—How Recent Clay-beds were formed.—The Chief Characteristics of Various Clays and Shales.—Materials similar to Clay.—Mineral and other Constituents of Clay.—The Physical and Chemical Properties of Clays.—Prospecting, Mining, and Quarrying.—Purification and Preparation of Clays.—The Legal Position of Clays. APPENDIX.—INDEX.

"Full of interesting material . . . and giving evidence of a very large amount of research . . . and technical knowledge."—*British Clayworker*.

THIRD EDITION, Thoroughly Revised. In Crown 8vo. Cloth.
Pp. i-viii + 416. With 32 Illustrations.

The Clayworker's Handbook.

A Manual for all engaged in the Manufacture of Articles from Clay

By ALFRED B. SEARLE, Cantor Lecturer on Brickmaking.

GENERAL CONTENTS.—Materials used in Clayworking: Clays, Engobes, Glazes, Colour Water, Fuel, Oils, and Lubricants.—The Preparation of the Clay, Mining and Quarrying, Weathering, Washing, Grinding, Tempering, and Fugging.—Machinery: Boilers, Engines, General Machinery, Sieves, Mixing Machinery, Presses, &c.—Drying and Drying.—Engobing and Glazing.—Setting or Chargin, Transport.—Kilns.—Firing.—Discharging, Sorting, and Packing.—Defects and Wastes.—Tests, Analysis and Control.—BIBLIOGRAPHY.—TABLES.—INDEX.

"We can thoroughly recommend this handy little book to all our readers."—*British Pottery Trades' Journal*.

In Medium 8vo. Pp. i-xii + 444. With 135 Illustrations. Cloth. 18

Refractory Materials,

Their Manufacture and Uses.

By ALFRED B. SEARLE.

CONTENTS.—Raw Materials.—Clay Firebricks.—Silica Firebricks.—Dolomites and Limebricks.—Bauxite, etc., Bricks.—Carbon Bricks.—Chromite and Carborundum Bricks.—Refractory Slabs, Blocks, and Hollow Ware.—Saggars.—Muffles.—Crucibles and Soarifiers.—Refrorts.—Fused Silica Ware.—Porcelain Mortars and Cements.—Applications of Materials.—APPENDIX.—INDEX.

" . . . The book will give impulse to that keen desire for knowledge which is shown increasingly at every meeting of the Refractory Section of the Ceramic Society."—*British Clayworker*.

"Such a book as this has long been wanted, for, besides appealing strongly to manufacturers of refractory materials, it should also serve as a handy reference book for ste manufacturers and all other firms who use these materials. Every progressive firebrick manufacturer will not delay in ordering a copy of this book."—*Brick and Pottery Trade Journal*.

"The book deserves a good reception, as it is well written and illustrated, and it should do much in helping both makers and users of refractory materials."—*The Builder*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.:

In Large Crown 8vo. Fully Illustrated. In Two Volumes.

In Preparation.—Vol. I. Fifth Edition. Vol. II. Third Edition.

THE CHEMISTRY OF GAS MANUFACTURE:

A Hand-Book on the Production, Purification, and Testing of Illuminating Gas, and the Assay of the By-Products of Gas Manufacture.

By W. J. ATKINSON BUTTERFIELD, M.A., F.I.C., F.C.S.,

Formerly Head Chemist, Gas Works, Beekton, London, E.

Preliminary Announcement (Aug., 1919). In active preparation.

In Medium 8vo. Cloth. Fully Illustrated.

COKE-OVEN AND BY-PRODUCTS WORKS CHEMISTRY.

By T. B. SMITH,

Gold Medallist, Coke-Oven Managers' Association; Manager and Chief Chemist,
Coke-Oven and By-Product Works.

CONTENTS.—Preface.—Washery and Ovens.—Gas.—Analysis of the Gas.—Flue Gases.—Tar Distillation Plant.—Testing of the Fractions of Tar Distillation.—Ammonium Sulphate Plant.—Calorimetry and Pyrometry.—Benzol Recovery Plant.—APPENDIX I. Some Constituents of Coal Tar and their Properties.—APPENDIX II. International Atomic Weights, Standard Solutions for Volumetric Analysis.—Tables for Use in Volumetric Analysis.—INDEX.

In Large Crown 8vo. Pp. i-xvi+310. Cloth. Illustrated. 7s. 6d.

THE CALORIFIC POWER OF GAS.

By J. H. COSTE, F.I.C., F.C.S.

CONTENTS.—Historical.—Calorific Standards.—Constituents of Coal Gas and Similar Gaseous Mixtures.—Their Thermal Properties.—Calorimetry.—Appendix.—INDEX.

"Briefly, we have traced the evolution of gas testing as set out so admirably by Mr. Coste . . . An Appendix, with some valuable and practical tables, completes this admirable book."—*Gas Engineers' Magazine*.

In Crown 8vo. Pp. i-xvi + 208. Cloth. Fully Illustrated. 7s. 6d.

THE EXAMINATION AND THERMAL VALUE

OF

FUEL:

GASEOUS, LIQUID, AND SOLID.

By J. H. COSTE, F.I.C., AND E. R. ANDREWS, F.I.C.

CONTENTS.—Introductory. PART I.—CHEMICAL AND PHYSICAL EXAMINATION OF FUEL.—Sampling and Analysis of Gaseous Fuel and Flue Gases.—Sampling and Examination of Liquid Fuel.—Sampling and Examination of Solid Fuel. PART II.—CALORIMETRY OF FUEL.—Principles and Methods.—The Calorimeter and its Surroundings.—Gaseous Fuels.—Liquid Tests.—Solid Fuels.—Bomb Calorimeters.—INDEX.

"The book may be regarded as an authoritative work on fuel examination, and may be used with confidence, both for reference on disputed points and for descriptions of routine work."—*Chemical News*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

SECOND EDITION, Rewritten. Illustrated. Pp. i-xi+396. 10s. 6d.

ACETYLENE:

THE PRINCIPLES OF ITS GENERATION AND USE:

By F. H. LEEDS, F.I.C., F.C.S.,

AND W. J. ATKINSON BUTTERFIELD, M.A., F.I.C., F.C.S.,
Consulting Chemist, Author of "The Chemistry of Gas Manufacture."

CONTENTS.—Introductory.—The Cost and Advantages of Acetylene Lighting.—The Physics and Chemistry of the Reaction between Carbide and Water.—The General Principles of Acetylene Generation.—Apparatus.—Selection of a Generator.—After-treatment of Acetylene.—Chemical and Physical Properties.—Mains, Service Pipes, etc.—Combustion in Luminous Burners.—Incandescent Burners.—Heating Apparatus.—Motors.—Autogenous Soldering.—Carburetted Acetylene.—Compressed and Dissolved Acetylene.—Portable Lamps and Plant.—Valuation and Analysis of Carbide.—Descriptions of Generators.—INDEX.

"We can thoroughly recommend the book to the manufacturer as a reliable work of reference, to the user as supplying valuable hints on apparatus and methods of procedure, and to the student as a safe and certain guide."—*Acetylene*.

Large 8vo. Handsome Cloth. Pp. i-xxi+357. 18s.

FIRE AND EXPLOSION RISKS:

A Handbook of the Detection, Investigation, and Prevention of Fires and Explosions.

By DR. VON SCHWARTZ,

Translated from the Revised German Edition by C. T. C. SALTER.

ABRIDGED GENERAL CONTENTS.—Fires and Explosions of a General Character.—Dangers arising from Sources of Light and Heat.—Dangerous Gases.—Risks Attending Special Industries.—Materials Employed.—Agricultural Products.—Fats, Oils, and Resins.—Mineral Oils and Tar.—Alcohol, &c.—Metals, Oxides, Acids, &c.—Lightning, Ignition Appliances, Fireworks.

"The work affords a wealth of information on the chemistry of fire and kindred topics."—*Fire and Water*.

"A complete and useful survey of a subject of wide interest and vital importance."—*Oil and Colourman's Journal*.

EIGHTH EDITION, Revised. In Cloth. Pp. i-xxii+252. With
234 Illustrations. 6s.

A PRACTICAL MANUAL OF AUTOGENOUS WELDING (OXY-ACETYLENE).

With a Chapter on the Cutting of Metals by the Blowpipe.

By R. GRANJON AND P. ROSEMBERG.

Translated by D. RICHARDSON, Wn.Ex., A.M.I.M.E.,
Lecturer on Autogenous Welding at the Northern Polytechnic.

CONTENTS.—Methods of Making Permanent Metallic Joints.—Autogenous Welding with Blowpipes.—In what Cases should it be Employed?—Oxygen.—Acetylene.—Blowpipes.—Welding Installations.—Properties of Metals from the Point of View of Welding.—Metals added in Welding.—Preparations of Welds.—Execution of Welds.—Welding Iron and Mild Steels.—Hard Steels.—Cast Iron.—Copper.—Brass.—Bronzes.—Aluminium.—Various Metals and Alloys.—Welding Machines.—Cutting Iron and Steel with the Blowpipe.—INDEX.

"Amplly illustrated, and appears to us to be a thoroughly useful volume in every way."—*Engineer*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

THIRD EDITION, Revised. In Medium 8vo, Cloth. Illustrated.

PAPER TECHNOLOGY:

AN ELEMENTARY MANUAL ON THE MANUFACTURE, PHYSICAL QUALITIES
AND CHEMICAL CONSTITUENTS OF PAPER AND OF
PAPERMAKING FIBRES.

With Selected Tables for Stationers, Publishers, and Others.

By R. W. SINDALL, F.C.S.

CONTENTS.—Introduction.—Technical Difficulties relating to Paper.—Rag Papers.—Esparto, Straw, Notes on Beating.—Wood Pulp.—Wood Pulp Papers.—Packing Paper.—"Art" Papers.—The Physical Qualities of Paper.—Chemical Constituents of Paper.—The Microscope.—Fibrous Materials used in Paper-making.—Analysis of a Sheet of Paper.—The C.B.S. Units.—Cellulose and its Derivatives.—Paper Trade Customs.—Dictionary of Chemical Terms.—Glossary.—INDEX.

"Exceedingly instructive and particularly useful."—*Paper Makers' Monthly Journal*.

In Crown 8vo. Cloth. 74 Pages. With 6 Plates, and other
Illustrations. 3s.

OUTLINES OF STATIONERY TESTING.

By HENRY ALDOUS BROMLEY,

Assistant Examiner of Paper to H.M. Stationery Office, London.

CONTENTS.—Introduction.—Paper, its Physical, its Microscopical, and its Chemical Examination.—The Characteristics and Requirements of Special Papers.—Parchments, Vellums, and Leather.—Writing Inks.—Sealing Waxes, Gums, and Office Paste.—Miscellaneous Articles of Stationery.—INDEX.

"Gives in simple language concise instructions for the practical testing of paper physically, microscopically, and chemically."—*Nature*.

SECOND EDITION. In Medium 8vo. Pp. i-xviii + 310. Thoroughly Revised
and Re-Written 18s.

CALCAREOUS CEMENTS:

THEIR NATURE, PREPARATION, AND USES.

With some Remarks upon Cement Testing.

By GILBERT R. REDGRAVE, Assoc. M.INST. C.E.,

Assistant Secretary for Technology, Board of Education, South Kensington,

AND CHARLES SPACKMAN, F.C.S.

CONTENTS.—Introduction.—The Burning of Lime.—Retrospective and Historical Review of the Cement Industry.—The Early Days of Portland Cement.—The Composition of Portland Cement.—Chemical Analysis of Cement, Raw Materials, Portland Cement, and Lime.—Analysis of Raw Materials and Portland Cement, Calculation of Proportions, etc.—Preparation of Mixture by Wet Method.—The Dry Process: Crushing, Grinding, etc.—Calcination.—Rotary Kilns.—Grinding, Storing, and Packing Cement.—Dust.—Composition of Mortar and Concrete.—Cement Testing.—Volume Tests.—Use of Slugs.—Scott's and Selenitic Cement.—Sewage Sludge.—Sidero Cement.—The Plaster Cements.—Specification for Portland Cement.—APPENDICES.—INDEX.

"We can thoroughly recommend it as a first-class investment."—*Practical Engineer*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

In Medium 8vo. Cloth. Illustrated. Pp. i-xix + 359. 30s.

CELLULOID.

ITS MANUFACTURE, APPLICATIONS, AND SUBSTITUTES.

Translated from the French of MASSELOIN, ROBERTS, and CILLARD.

By H. H. HODGSON, M.A. (Camb.), B.Sc. (Lond.), Ph.D. (Heidelberg).

CONTENTS.—Composition, Origin, Properties.—Nitrocellulose.—Commercial Nitration Processes.—Bleaching of Cellulose.—Drying.—Steeping.—Staining of Celluloid.—Rolling, Compression.—Cutting and Dressing.—Tubes.—Waste.—Analyses.—Mechanical Tests.—Inflammability.—Precautions in Celluloid Works.—INDEX.

In Crown 8vo. Cloth. Pp. i-vi + 114. 4s.

The Chemistry of the Colloids.

By DR. VICTOR PÖSCHL.

TRANSLATED FROM THE SECOND, ENLARGED, GERMAN EDITION

By H. H. HODGSON, M.A., B.Sc., Ph.D.

CONTENTS.—General Characteristics, Nomenclature.—Properties of Colloidal Solutions.—Relation of Colloidal Solutions to Solutions Proper, and to Suspensions.—The Dispersoids and their Classification.—Preparation of Colloidal Solutions.—Research Methods.—Ultramicroscopy.—Recent Views on the Nature of the Colloid State.—Importance of Colloidal Chemistry.—Bibliography.—INDEX.

"An excellent little summary of the subject."—*Chemical News*.

In Large Crown 8vo. Pp. i-xii + 153. Fully Illustrated. 6s.

GLUE, GELATINE,

AND THEIR ALLIED PRODUCTS,

A Practical Handbook for the Manufacturer, Agriculturist, and Student of Technology.

By THOMAS LAMBERT,

Analytical and Technical Chemist.

CONTENTS.—Historical.—GLUE.—GELATINE.—Size and Isinglass.—Treatment of Effluents produced in Glue and Gelatine Making.—Liquid and other Glues, Cements, &c.—Uses of Glue and Gelatine.—Residual Products.—Analysis of Raw and Finished Products.—APPENDIX.—INDEX.

"A sufficient account of modern methods of working, chiefly from a practical standpoint. A book . . . of real value."—*Chemical News*.

In Large 8vo. Cloth. Pp. i-x + 290. Fully Illustrated. 18s.

LEATHER TRADES' CHEMISTRY.

A Practical Manual on the Analysis of Materials and Finished Products.

By S. R. TROTMAN, M.A., F.I.C.,

Public Analyst for the City of Nottingham, Member of the International Association of Leather Trades' Chemists.

SYNOPSIS OF CONTENTS.—Standard Solutions.—Acids, Alkalies, &c.—Water.—Depilation and Deliming.—Fleshings, &c.—Glue.—Spent Liquors.—Mineral and Vegetable Tanning Agents.—Oils.—Soaps.—Varnishes.—Skin.—Leather.—Dyestuffs.—Degreasing Agents.—Effluents.—GLOSSARY.—INDEX.

"Mr. Trotman has admirably succeeded in his aim. . . . Practically every section of the leather trade chemistry is gone into."—*Leather Trades' Review*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

In Medium 8vo. Pp. i-x + 383. Handsome Cloth. 21s.

RUBBER:

ITS PRODUCTION, CHEMISTRY, AND SYNTHESIS IN THE LIGHT OF
RECENT RESEARCH.

A Practical Handbook for the Use of Rubber Cultivators, Chemists,
Economists, and others.

By DRS. DUBOSC AND LUTTRINGER.

English Edition by E. W. LEWIS, A.C.G.I.

ABRIDGED CONTENTS.—Rubber-producing Regions.—Cost of Production of Natural Rubbers and of Reclaimed Rubber.—The Latexiferous System.—Formation of Rubber in the Plant: Hoffmann's Theory, Bach's Theory.—Physical Properties of Rubber. Chemical Composition and Properties of Rubber.—Constitution of Rubber.—ISOPRENE AND ITS HOMOLOGUES.—Physical and Chemical Properties.—Preparation by Distillation.—Syntheses, including those of Euler, Blaise, and Courtot, Harries, a Nereshelmer, Schering, Austerwell, Grignard, Heinemann, Matthews and Strange, Bay etc.—Use of Nitrogen Bases.—Other Methods.—PREPARATION OF SYNTHETIC RUBBER. The Outlook.

"The scientific sections are well compiled, and contain much matter which is readily accessible elsewhere. There are numerous references to the literature of the subject. While the work is not encyclopedic, it probably contains considerably more information on the particular subjects with which it deals than any other work published to date."—*The Analyst*.

"An authoritative text-book dealing with the chemistry of raw rubber. . . . comprehensive survey on all the work that has been done, especially on the synthesis of rubber. . . . No worker in this region will in the future be able to do without this text-book, which is characterised by an admirable judicious and unbiased treatment of the problems of the rubber chemistry."—*Chemical News*.

FIFTH IMPRESSION. In Large 8vo. Cloth. Pp. i-xi + 314.
With 4 Plates and Several Illustrations. 18s.

THE CHEMISTRY OF INDIA RUBBER.

Treatise on the Nature of India Rubber, its Chemical and Physical Examination, and the Determination and Valuation of India Rubber Substitutes.

Including the Outlines of a Theory on Vulcanisation.

By CARL OTTO WEBER, PH.D.

CONTENTS.—The Chemistry of India Rubber.—Examination and Valuation of Gutta Percha and India Rubber.—Examination of India Rubber Substitutes.—Inorganic Compounding Materials.—Vulcanisers and Sulphur Carriers.—India Rubber Solvents. Colouring Matters.—Constructive Components of India Rubber Articles.—Analysis of Rubber Articles.—APPENDIX.—INDEX.

"Replete with scientific and also with technical interest. . . . The section on physical properties is a complete *résumé* of everything known on the subject."—*India-rubber Journal*

In Cloth. Pp. i-viii + 227. Fully Illustrated. 12s. 6d.

THE MANUFACTURE OF RUBBER GOODS.

By ADOLF HEIL AND DR. W. ESCH.

TRANSLATED BY EDWARD W. LEWIS, A.C.G.I., F.C.S.,
Chemist to Messrs. J. G. INGRAM & SON, London.

GENERAL CONTENTS.—Plan and Arrangement of a Rubber-Goods Factory.—Raw Material and its Preparation.—Vulcanisation.—Rubber Mixings.—Manufacture of Sheet Rubber Goods.—Manufacture of Hard Rubber Goods.—Regeneration of Waste Rubber.—Specific Gravity of Rubber Goods.—INDEX.

"Can be recommended as a very practical and useful work."—*Nature*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.

PAINTS, COLOURS, DYEING, AND THE TEXTILE INDUSTRIES.

- TREATISE ON COLOUR MANUFACTURE** (Preparation, Examination, and Application of Pigments). By GEORGE ZERR and Dr. RUBENCAMP. English Edition by Dr. C. MAYER, of Burgdorf. Illustrated. 36s.
- TESTS FOR COAL-TAR COLOURS IN ANILINE LAKES.** By GEORGE ZERR. Translated by Dr. C. MAYER. In Medium 8vo. 12s. 6d.
- PAINTING AND DECORATING.** A Complete Practical Manual. By W. J. PEARCE. FOURTH EDITION, Revised and Enlarged. Profusely Illustrated, and with many Plates in Colours. 12s. 6d.
- IDEAS AND STUDIES FOR STENCILLING AND DECORATING.** By A. DESAINT. With Designs in Colour and Colour Scheme.
- PAINTERS' COLOURS, OILS, AND VARNISHES.** G. H. HURST, F.C.S. FIFTH EDITION, Revised and Enlarged, by NOEL HEATON, B.Sc., with Chapter on Varnishes by M. B. BLACKLER. 12s. 6d.
- PAINTERS' LABORATORY GUIDE.** By G. H. HURST, F.C.S. In Crown 8vo. Cloth. With Illustrations. 5s.
- OILS, RESINS, AND PAINTS.** By HARRY INGLE, D.Sc., Ph.D. 4s.
- A MANUAL OF DYEING.** By E. KNECHT, Ph.D., CHR. RAWSON, F.I.C., and R. LOEWENTHAL, Ph.D. FIFTH EDITION, Thoroughly Revised and Rewritten. 42s.
- SYNTHETIC DYESTUFFS, and the Intermediate Products from which they are Derived.** By J. C. CAIN, D.Sc., and J. F. THORPE, Ph.D. FOURTH EDITION, Revised. With 7 Folding Tables. 21s.
- THE ANALYSIS OF DYESTUFFS.** By A. E. GREEN, M.Sc. SECOND EDITION. 10s. 6d.
- DICTIONARY OF DYES, MORDANTS, AND OTHER COMPOUNDS.** By CHR. RAWSON, F.I.C., W. M. GARDNER, F.C.S., and W. F. LAYCOCK, Ph.D. In Large 8vo. Cloth, Library Style. Reprinted. 18s.
- SPINNING AND TWISTING OF LONG VEGETABLE FIBRES** (Flax, Hemp, Jute, Tow, and Ramie). By H. R. CARTER. SECOND EDITION. With Plates and Illustrations in the Text. 24s.
- THE BLEACHING AND FINISHING OF COTTON.** By S. R. TROTMAN, M.A., F.I.C., and E. L. THORP, M.I.Mech.E. SECOND EDITION. Pp. i-xi+347. 21s.
- THE COTTON WEAVERS' HANDBOOK.** By H. B. HEYLIN. In Cloth. Fully Illustrated. 7s. 6d.
- BUYERS AND SELLERS IN THE COTTON TRADE.** By H. B. HEYLIN. With Chronological and Statistical Chart. 10s. 6d.
- TEXTILE FIBRES OF COMMERCE** (Occurrence, Distribution, Preparation, and Uses). By W. I. HANNAN. In Cloth. With Illustrations. 10s. 6d.
- TEXTILE PRINTING.** By E. KNECHT, Ph.D., and J. B. FOTHERGILL. With 13 Plates and 86 Patterns in the Text. 42s.
- TEXTILE PRINTING.** By C. F. S. ROTHWELL, F.C.S. Illustrated. 21s.
- DYEING AND CLEANING.** By FRANK J. FARRELL, M.Sc. In Cloth. With 76 Illustrations. FOURTH EDITION. Enlarged. 6s.
- BLEACHING AND CALICO PRINTING.** By GEORGE DUERN, Assisted by WM. TURNBULL. Cloth. 12s. 6d.

LONDON : CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

FOURTH EDITION, Revised. In Crown 8vo. extra. With Numerous Illustrations and Plates (some in Colours), including Original Designs. 12s. 6d.

Painting and Decorating :

*A Complete Practical Manual for House
Painters and Decorators.*

BY WALTER JOHN PEARCE,

LECTURER AT THE MANCHESTER TECHNICAL SCHOOL FOR HOUSE-PAINTING AND DECORATING.

CONTENTS.—Introduction.—On the Philosophy of House Painting.—Workshop and Stores.—Plant and Appliances.—Painting Brushes.—Materials.—Paper and other Hangings.—Colour Mixing.—Distempers; Description and Application of Distemper.—Plain Painting.—Staining.—Varnish and Varnishing.—Imitative Painting.—Grain in Marbling.—Gilding.—Lettering and Sign-Writing.—Decorating.—General Principles.—Decoration in Distemper.—Painted Decoration.—Relievo Decoration.—Colour.—Measuring and Estimating.—Coach Painting.—Painters' Technical Classes.—INDEX.

"A THOROUGHLY USEFUL BOOK . . . GOOD, SOUND, PRACTICAL INFORMATION in a CLEAR and CONCISE FORM."—*Plumber and Decorator.*

A Manual of Oils, Resins, and Paints.

BY HARRY INGLE, D.Sc., Ph.D., F.I.C.

In Medium Quarto. With Designs in Colour and Black and White, a Complete Colour Scheme for Combination of Colours.

Ideas and Studies

FOR

Stencilling and Decorating

BY A. DESAINT.

GENERAL CONTENTS.—General Notions.—Tools employed.—Key Plate of Colours.—Examples of Coloration (Frieze).—Powderings for Ceilings.—For Walls in Class and Modern Styles.—Ornamental Corners.—Useful Bands.—Dado Bands.—Frieze Cresting and Gargoyles.—Figures, Animals, Birds, Fishes, etc.—Duck's Frieze.—Dado Tiles.—Lunettes, etc., etc.—Panels.—Endings and Restoons.—Drawing Rooms.—Staircases and Studios.—Roofs, Leaves, etc.—Cartouches and Scrolls.—Dado for Stair in a Mansion.—Do. for Galleries.—Wall Powderings for Loggias, etc.—Tiles for Room.—Ceilings for Restaurant.—Heraldic Animals.—Church Borders.—Mural Decoration.—Greco-Roman.—Frieze and Panels, Pompeian.—INDEX.

In Pocket Size. Cloth. 1s. 6d.

The Co-operation of Science and Industry.

BY S. R. ILLINGWORTH.

With Foreword by Sir BOVENTON REDWOOD, Bart.

LONDON : CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.

In Large 8vo. Cloth. Pp. i-xvi+605. Profusely Illustrated. 36s.

A TREATISE ON COLOUR MANUFACTURE.

A Guide to the Preparation, Examination, and Application of all the
Pigment Colours in Practical Use.

By GEORGE ZERR AND DR. R. RÜBENCAMP.

AUTHORISED ENGLISH TRANSLATION BY DR. C. MAYER, OF BURGDORF.

CONTENTS.—INTRODUCTION.—A. THE ARTIFICIAL MINERAL COLOURS.—Manufacture of the Artificial Mineral Colours.—The Raw Materials used in Colour-making.—B. THE NATURAL MINERAL COLOURS (Earth Colours).—C. BLACK PIGMENTS.—D. Organic Colouring Matters and their Utilisation in making Lake Pigments.—E. The Uses of Colour.—APPENDIX.—INDEX.

"This comprehensive guide . . . useful and interesting."—*Oil and Colour Trades Journal*.

In Medium 8vo. Cloth. Pp. i-xii + 230. Price 12s. 6d.

TESTS FOR COAL-TAR COLOURS IN ANILINE LAKES.

By GEORGE ZERR.

TRANSLATED BY DR. C. MAYER OF BURGDORF.

ABSTRACT OF CONTENTS.—Introductory.—Reactions of Aniline Lakes.—Classification of the Coal-Tar Colour Lakes according to Solubility.—INDEX.

"Of the highest scientific accuracy . . . leaves nothing to be desired in clearness."—*Decorator*.

FIFTH EDITION, Revised and Enlarged throughout. Pp. i-xii + 528.
With Illustrations. 12s. 6d.

PAINTERS' COLOURS, OILS, AND VARNISHES:

A PRACTICAL MANUAL.

By GEORGE H. HURST, F.C.S.

REVISED BY NOËL HEATON, B.Sc., F.C.S.

With Chapter on Varnishes by M. B. BLACKLER, PH.D.

CONTENTS.—Introductory.—Properties of Pigments in General.—White Pigments.—The Lead and Zinc Whites.—Mineral Waters.—Red Pigments.—Orange and Yellow Pigments.—Green Pigments.—Blue Pigments.—Brown Pigments.—Black Pigments.—Organic Pigments and Lakes.—Oils and Solvents.—Gums, Glues, and Resins.—Varnishes.—Paint.—INDEX.

"A THOROUGHLY PRACTICAL book. . . . Satisfactorily treats of the manufacture of oils, colours, and pigments."—*Chemical Trades' Journal*.

In Crown 8vo. Cloth. Pp. i-x + 248. With Illustrations. 5s.

THE PAINTER'S LABORATORY GUIDE.

A Student's Handbook of Paints, Colours, and Varnishes.

By GEORGE H. HURST, F.C.S.

CONTENTS.—Paints, Pigments, and Varnishes.—Preparation of Pigment Colours.—Lakes.—Paint Oils and Thinnings.—Driers.—Varnishes.—INDEX.

"This excellent handbook, . . . the model of what a handbook should be."—*Oils, Colours, and Drysalteries*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

THE TEXTILE INDUSTRIES.

FIFTH EDITION. In Two Large Vols. Cloth. 42s.

A MANUAL OF DYEING:
FOR THE USE OF PRACTICAL DYERS, MANUFACTURERS, STUDENTS,
AND ALL INTERESTED IN THE ART OF DYEING.

BY

E. KNECHT, Ph.D., F.I.C.,Head of the Chemistry and Dyeing Department of
the Technical School, Manchester; Editor of "The
Journal of the Society of Dyers and Colourists;"**CHR. RAWSON, F.I.C., F.C.S.**Late Head of the Chemistry and Dyeing Department
of the Technical College, Bradford Member
Council of the Society of Dyers and Colourists;AND **RICHARD LOEWENTHAL, Ph.D.**

GENERAL CONTENTS.—Chemical Technology of the Textile Fabrics—
Water—Washing and Bleaching—Acids, Alkalies, Mordants—Natural
Colouring Matters—Artificial Organic Colouring Matters—Mineral Colour
—Machinery used in Dyeing—Tinctorial Properties of Colouring Matters—
Analysis and Valuation of Materials used in Dyeing, &c., &c.

"This authoritative and exhaustive work . . . the most complete we have yet seen
on the subject."—*Textile Manufacturer*.

FOURTH EDITION, Revised. In Large 8vo. Cloth. Pp. i-xvii + 423. With 7 Folding
Tables. 21s.

THE SYNTHETIC DYESTUFFS,

AND

THE INTERMEDIATE PRODUCTS FROM WHICH THEY ARE DERIVED.

BY **JOHN CANNELL CAIN, D.Sc. (MANCHESTER AND TUBINGEN),**
Editor of the *Journal of the Chemical Society*,

AND **JOCELYN FIELD THORPE, O.B.E., Ph.D. (HEIDELBERG), F.R.S., F.I.C.**
Sorby Research Fellow, Royal Society.

Part I. Theoretical. Part II. Practical. Part III. Analytical.

"We have no hesitation in describing this treatise as one of the most valuable book
that has appeared. . . . Will give an impetus to the study of Organic Chemistry
generally."—*Chemical Trade Journal*.

SECOND EDITION. In Cloth. With Illustrations and Folding Tables. Pp. i-ix+14
10s. 6d.

THE ANALYSIS OF DYESTUFFS

And their Identification in Dyed and Coloured Materials
Lake-Pigments, Foodstuffs, &c.

By **ARTHUR G. GREEN, M.Sc., F.I.C., F.C.S.,**
Professor of Tinctorial Chemistry in the University of Leeds.

CONTENTS.—Introduction.—Classification of Dyestuffs.—Analysis of Colour
Matters in Substance.—In Animal Fibres.—On Vegetable Fibres.—Analysis of Ind
in Substance and on Fibre.—Pigments and Lakes.—Constitution of Azo-Dyestuffs.

"Especially welcome . . . Prof. Green is to be congratulated . . . w
printed, free from errors, straightforward and clear."—*Analyst*.

In Large 8vo. Cloth. 18s.

A DICTIONARY OF**DYES, MORDANTS, & OTHER COMPOUND**
USED IN DYEING AND CALICO PRINTING.

*With Formulae, Properties, and Applications of the various substances described
and concise directions for their Commercial Valuation,
and for the Detection of Adulterants.*

By **CHRISTOPHER RAWSON, F.I.C., F.C.S.; WALTER M. GARDNER, F.C.S.**
AND **W. F. LAYCOCK, Ph.D. F.C.S.**

"Turn to the book as one may on any subject, or any substance in connection with
trade, and a reference is sure to be found."—*Textile Mercury*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C

THE TEXTILE INDUSTRIES.

FIFTH EDITION. In Two Large Vols. Cloth. 42s.

A MANUAL OF DYEING:
FOR THE USE OF PRACTICAL DYERS, MANUFACTURERS, STUDENTS
AND ALL INTERESTED IN THE ART OF DYEING.

BY

E. KNECHT, Ph.D., F.I.C.,

CHR. RAWSON, F.I.C., F.C.S.

Head of the Chemistry and Dyeing Department of
the Technical School, Manchester; Editor of "The
Journal of the Society of Dyers and Colourists;"

Late Head of the Chemistry and Dyeing Department
of the Technical College, Bradford Member
Council of the Society of Dyers and Colourists;

AND RICHARD LOEWENTHAL, Ph.D.

GENERAL CONTENTS.—Chemical Technology of the Textile Fabrics—
Water—Washing and Bleaching—Acids, Alkalies, Mordants—Natural
Colouring Matters—Artificial Organic Colouring Matters—Mineral Colour
—Machinery used in Dyeing—Tinctorial Properties of Colouring Matters—
Analysis and Valuation of Materials used in Dyeing, &c., &c.

"This authoritative and exhaustive work . . . the most COMPLETE we have yet seen
on the subject."—*Textile Manufacturer*.

FOURTH EDITION, Revised. In Large 8vo. Cloth. Pp. i-xvii + 423. With 7 Folding
Tables. 21s.

THE SYNTHETIC DYESTUFFS,

AND

THE INTERMEDIATE PRODUCTS FROM WHICH THEY ARE DERIVED.

By JOHN CANNELL CAIN, D.Sc. (MANCHESTER AND TUBINGEN),
Editor of the *Journal of the Chemical Society*,

AND JOCELYN FIELD THORPE, C.B.E., Ph.D. (HEIDELBERG), F.R.S., F.I.C.
Sorby Research Fellow, Royal Society.

Part I. Theoretical. Part II. Practical. Part III. Analytical.

"We have no hesitation in describing this treatise as one of the most valuable book
that has appeared. . . . Will give an impetus to the study of Organic Chemistry
generally."—*Chemical Trade Journal*.

SECOND EDITION. In Cloth. With Illustrations and Folding Tables. Pp. i-ix+144
10s. 6d.

THE ANALYSIS OF DYESTUFFS

And their Identification in Dyed and Coloured Materials,
Lake-Pigments, Foodstuffs, &c.

By ARTHUR G. GREEN, M.Sc., F.I.C., F.C.S.,
Professor of Tinctorial Chemistry in the University of Leeds.

CONTENTS.—Introduction.—Classification of Dyestuffs.—Analysis of Colouring
Matters in Substance.—In Animal Fibres.—On Vegetable Fibres.—Analysis of Indigo
in Substance and on Fibre.—Pigments and Lakes.—Constitution of Azo-Dyestuffs.

"Especially welcome . . . Prof. Green is to be congratulated . . . well
printed, free from errors, straightforward and clear."—*Analyst*.

In Large 8vo. Cloth. 18s.

A DICTIONARY OF

DYES, MORDANTS, & OTHER COMPOUNDS
USED IN DYEING AND CALICO PRINTING.

With Formulae, Properties, and Applications of the various substances described
and concise directions for their Commercial Valuation,
and for the Detection of Adulterants.

By CHRISTOPHER RAWSON, F.I.C., F.C.S.; WALTER M. GARDNER, F.C.S.;
AND W. F. LAYCOCK, Ph.D. F.C.S.

"Turn to the book as one may on any subject, or any substance in connection with the
trade, and a reference is sure to be found."—*Textile Mercury*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2

In Medium 8vo. Cloth. Pp. i-xvi + 615. With 13 Plates and 80 Illustrations, also 86 Patterns inset in Text. 42s.

The PRINCIPLES & PRACTICE of TEXTILE PRINTING

By E. KNECHT, PH.D., AND J. B. FOTHERGILL.

CONTENTS.—Part I. Introduction.—Part II. Methods of Printing.—Part III. Preparation of Cloth for Printing.—Part IV. Preparation of Printing Colours.—Part V. Treatment of Goods after Printing.—Part VI. Mordants.—Part VII. Styles of Printing: (a) Direct; (b) Dyed; (c) Insoluble Azo-Colour; (d) Discharge; (e) Resist or Reserve; (f) Raised; (g) Printing of Linings; (h) Metal Printing; (i) Crepon or "Crimp."—Part VIII. Finishing of Printed Calicoes.—Part IX. Wool and Half Wool Printing.—Part X. Silk and Half Silk Printing.—INDEX.

"This important book . . . fills an admitted gap in textile literature . . . very systematic."—*Journal of Society of Dyers and Colourists*.

SECOND EDITION. In Large 8vo. Cloth. Thoroughly Revised
Pp. i-xi + 347. With 131 Illustrations. 21s.

THE BLEACHING AND FINISHING OF COTTON.

By S. R. TROTMAN, M.A., F.I.C., AND E. L. THORP, M.I.MECH. E.

CONTENTS.—Structure of Cotton Fibre.—Constituents of Cotton Fibre.—Cotton Testing.—Carbohydrates.—Water.—Bacteria in Bleaching.—Cotton Piece Goods.—Sleeping.—Transmission of Cloth.—Alkali Boiling.—Soap.—Soap Making.—Organic Solvents.—Cells.—Washing Machines.—Bleaching and Bleaching Powder.—Bleaching and Souring Apparatus.—Sodium Hypochlorite and Electrolytic Bleaching Solutions.—Other Bleaching Agents.—Souring Acids and Souring Apparatus.—Processes.—Coloured Goods.—Stains and Discolourations.—Finishing and Materials Used.—Mangling, Drying, and Conditioning.—Stiffening and Mangles.—Auxiliary Machines and Processes.—Scenters.—Selling.—Calendering.—Finishing Processes.—INDEX.

"Deserves the attention of practical blanchers, and we can recommend it to them with confidence."—*Textile Mercury*.

SECOND EDITION, Thoroughly Revised and Rewritten. In Medium 8vo.
Pp. i-xvi + 434. With 216 Illustrations (including 4 Plates). 24s.

THE SPINNING AND TWISTING OF LONG VEGETABLE FIBRES

(FLAX, HEMP, JUTE, TOW, & RAMIE).

A Practical Manual of the most Modern Methods as applied to the Hackling, Carding, Preparing, Spinning, and Twisting of the Long Vegetable Fibres of Commerce.

By HERBERT R. CARTER, of Belfast, Ghent, and Lille.

CONTENTS.—Long Vegetable Fibres of Commerce.—Rise and Growth of the Spinning Industry.—Raw Fibre Markets and Purchase of Materials.—Storing the Raw Material and Preliminary Operations of Batching, Softening, Knifing, Breaking, and Cutting.—Hackling by Hand and Machine, Cost and Speed of Machining.—Sorting and Management of Hackling Dept.—Preparing Department.—Silver Formation.—Tow Carding and Mixing.—Preparing, Drawing and Doubling.—Tow Combing.—Gill Spinning.—Rope Yarn.—Binder Twine.—Trawl Twine and Shoe Threads.—The Flax, Hemp, Jute, and Ramie Roving Frame.—Dry and Demy-Sec Spinning of Flax, Hemp, Jute, and Ramie.—The Wet Spinning of Flax, Hemp, and Ramie Yarns.—Flax, Hemp, Jute, and Ramie Waste Spinning.—Yarn Reeling, Winding, Drying, Cooling, and Bundling.—Manufacture of Threads.—Twines, and Cords.—Rope Making.—Weight of Ropes.—Mechanical Department: Repairs.—Putting.—Hackle-Setting.—Wood Turning.—Oils and Oiling.—Mill Construction, Heating, Lighting, Ventilation, and Humidification.—Bollers, Engines, Steam and Water Power.—Power Transmission.—Electric Transmission.—Gearing.—Rope Driving.—Belt Driving.—Rules in Connection with Rope and Belt Driving.—Fulleys and Bearings.—INDEX.

"THE WHOLE SUBJECT IS EXHAUSTIVELY AND ABLY DEALT WITH by Mr. Carter, and the letterpress is illustrated by an ABUNDANCE of EXCELLENT PLATES. . . The book is THE WORK of a TECHNICAL EXPERT, who can put his knowledge into plain English and it is WORTH the ATTENTION of ALL concerned with the industries treated of."—*The Dyer and Calico Printer*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

In Large 8vo. Cloth. Pp. i-xii+236. With 149 Illustrations. 10s. 6d.

TEXTILE FIBRES OF COMMERCE.

A HANDBOOK OF

The Occurrence, Distribution, Preparation, and Industrial Uses of the Animal, Vegetable, and Mineral Products used in Cotton, Woollen, Paper, Silk, Brush, and Hat Manufactures.

By WILLIAM I. HANNAN,

Lecturer on Botany at the Ashton Municipal Technical School, Lecturer on Cotton . . Spinning at the Chorley Science and Art School, &c.

ABBREVED CONTENTS.—INTRODUCTORY.—Plumose and other Fibres.—VEGETABLE FIBRES (arranged in alphabetical order, containing, amongst numerous articles, special sections on *Cotton, Flax, Hemp, Jute, Manila, New Zealand Flax, Ramie, Rattan, Vegetable Silks, Wood Pulp, Silk, etc.*).—PAPER FIBRE PLANTS.—BRUSH AND MAT MATERIALS (Coir, Mexican Fibre, Whisk, Animal Fibres (Bear, Hog, etc.)).—ANIMAL FIBRES PROPER (Silk, Wool, Alpaca, Llama, Mohair, Merino, etc.).—MINERAL FIBRES (Asbestos).—APPENDIX (Pine Apple Fibre, Horse Hair, etc.).—INDEX.

"USEFUL INFORMATION. . . . ADMIRABLE ILLUSTRATIONS. . . ."—*Textile Recorder*.

In Crown 8vo. Cloth. Pp. i-x+326. With 368 Illustrations and Ruled Paper for Designs. 7s. 6d.

THE COTTON WEAVERS' HANDBOOK.

A Practical Guide to the Construction and Costing of Cotton Fabrics, with Studies in Design.

By HENRY B. HEYLIN,

Of the Royal Technical Institute, Salford.

CONTENTS.—Weaving.—Designing.—Weaves.—The Power Loom and its Accessories.—Analysing or Dissection of the Cloth.—Cloth Quoting or Costing.—Division of the Cotton Industry in England.—Yarns for Manufacturing Purposes.—Selection of Warp Yarns and Yarn Testing.—Reed and Hedd Counting and Calculations.—Important Labour Units in a Weaving Mill.—Miscellany.—Preparing and Weaving Machines.—INDEX.

"Mr. Heylin's text-book is a very reliable one. It is difficult to mark out any special points among so much excellent matter. . . . The whole of the book is richly illustrated."—*Dyer and Calico Printer*.

In Medium 8vo. Cloth. Pp. i-viii + 234. With Chronological and Statistical Chart. 10s. 6d.

A HANDBOOK FOR

BUYERS AND SELLERS IN THE COTTON TRADE

Being a Handbook for Merchants, Shipping Manufacturers, and others who are interested as Producers or Distributors.

By HENRY BROUGHAM HEYLIN.

CONTENTS.—Retrospective.—Exports of Cotton Yarns and Goods from U.K.—On Cotton Supply.—Efforts of other Countries to obtain a Good Supply.—Value of our Exports.—Great Britain's Cotton Consumption in Periods of Progression.—World's Cotton Spindles and Looms.—Progress of Lancashire Cotton Industry.—Cotton Trade Generally.—Spasmodic Period of Progress.—Methods for Profit-making.—Finer Counts Theory.—Rise and Fall in Cotton Trade.—Buying and Selling.—Examples of Trading.—Press References.—Cloth Costing.—Nominal Yarn Prices.—German, American, French and Japanese Exports of Cotton Goods, and List of Imports into the United Kingdom.—Future Prospects in Cotton Trade.—APPENDICES.—INDEX.

"A valuable compilation of information and facts, and should prove of considerable service."—*Cotton Factory Times*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2

In Medium 8vo. Cloth. Pp. i-xix+272. With 278 Illustrations. 12s. 6d.

ENGRAVING FOR CALICO PRINTING.

By WILLIAM BLACKWOOD,

Lecturer on Engraving Design for Calico at the Royal Technical College, Glasgow.

CONTENTS.—Historical Introduction.—Calico Designing.—Sketch-making.—Photography as applied to Calico Engraving.—Handkerchief Engraving as arranged by Sketch-maker.—Zinc or Plate Cutting.—Pentagraph Engraving Cradle Machine, Rigby Principle.—Flat Table Machine, Shields' Principle.—Die Pentagraph Machine, Rigby Principle.—Tools for Calico Engravers.—Elementary Hints for Hand Engravers.—Hand Engraving.—Engraving for Paper Stainers.—Die-making, Grounds, Pin Work, etc., etc.—Punch-making for Calico Engraving.—Die and Mill Turning, also Clamming.—Mill Engraving Machine, Garment and Handkerchief Rollers.—Wheel Gearing for Mill Engraving Machine.—Embossing or Relief Engraving for Various Trades.—Etching, including Varnishing, Ruling, and Painting.—Varnishes.—Impressioning the Finished Work.—Turning off Rollers or Cylinders.—Polishing Rollers.—Electroplating or Depositing.—Oils and Varnishes for General Use.—Newer Developments of Engraving and Printing.—INDEX.

"The book abounds in practical information."—*Textile Mercury*.

"A work of high merit, and we heartily commend it."—*Textile Manufacture*.

In Large 8vo. Pp. i-xi + 812. With Illustration and 85 Printed Patterns. 21s.

TEXTILE PRINTING: A PRACTICAL MANUAL.

Including the Processes Used in the Printing of
COTTON, WOOLLEN, SILK, and HALF-
SILK FABRICS.

By C. F. SEYMOUR ROTHWELL, F.C.S.,

CONTENTS.—Introduction.—Machinery used in Textile Printing.—Thickeners and Mordants.—Printing of Cotton Goods.—Steam Style.—Colours produced directly on the Fibre.—Dyed Styles.—Padding Style.—Resistance Discharge Styles.—Compound Colourings.—Woolen Goods.—Silk Goods.—Recipes.—Tables.—INDEX.

"BY FAR THE BEST AND MOST PRACTICAL BOOK ON TEXTILE PRINTING which has yet been brought out, and will long remain the standard work on the subject."—*Textile Mercury*.

Large 8vo. Cloth. Pp. i-xi + 142. With Illustrations and upwards
of One Hundred Dyed and Printed Patterns. 12s. 6d.

BLEACHING AND CALICO-PRINTING.

By GEORGE DUERR,

Director of the Bleaching, Dyeing, and Printing Department at the Accrington and Bacup
Technical Schools; Chemist and Colourist at the Irwell Print Works.

ASSISTED BY WILLIAM TURNBULL
(of Turnbull & Stockdale, Limited).

CONTENTS.—Bleaching.—Printing.—Mordants.—Styles of Calico Printing.—Thickeners Natural Organic Colouring Matters.—Tannin Matters.—Oils, Soaps, Solvents.—Organic Acids; Salts.—Mineral Colours or Pigments.—Coal-Tar Colours.—Dyeing.—Water.—Theory of Colours.—INDEX.—PATTERNS.

"MR. DUERR'S WORK will be found most USEFUL. . . . The information given is of GREAT VALUE. . . . The Recipes are THOROUGHLY PRACTICAL."—*Textile Manufacturer*.

FOURTH EDITION. With New Appendix. Pp. i-x + 253.
76 Illustrations. 6s.

DYEING AND CLEANING.

By FRANK J. FARRELL, M.Sc., &c.

GENERAL CONTENTS.—Technology of the Textile Fibres.—Dry Cleaning.—Wet Cleaning.—Dyeing.—Dry Dyeing.—Special Methods, Cleaning and Dyeing Skin Rugs, Feathers, and Hats.—Finishing.—APPENDICES.—INDEX.

"This has long been regarded as the standard volume on the subject. . . . We commend the book to all our readers who are interested in the literature of their business."—*Laundry News*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

ELEMENTARY CHEMISTRY.

ELEMENTARY CHEMISTRY.

THIRD EDITION, Revised, Enlarged, and Re-issued. 7s. 6d.

A SHORT MANUAL OF
INORGANIC CHEMISTRY

By A. DUPRÉ, PH.D., F.R.S., and WILSON HAKE, PH.D., F.I.C., F.C.S.,
Of the Westminster Hospital Medical School.

"AN EXAMPLE OF THE ADVANTAGES OF THE SYSTEMATIC TREATMENT of a Science over the fragmentary style so generally followed. BY A LONG WAY THE BEST of the small Manuals for Students."—*Analyst*.

In Crown 8vo. Pp. i-viii + 194. With Diagrams. 4s. 6d.

ELEMENTARY PRACTICAL CHEMISTRY.

For Medical and Other Students.

By J. E. MYERS, M.Sc., and J. B. FIRTH, M.Sc.

CONTENTS.—PART I. General Methods of Manipulation, and Preparation of Substances. PART II. Qualitative Analysis. PART III. Quantitative Analysis. PART I Organic Analysis.—APPENDICES.—INDEX.

"Deals clearly with the principles upon which all work, whether elementary or advanced, must be firmly grounded."—*Chemical Trade Journal*.

In the Press. Pocket Size. Bound in Cloth.

ANALYTICAL CHEMISTRY AS A PROFESSION FOR WOMEN.

By EMILY L. B. FORSTER,

Late Lecturer to the Westminster College of Pharmacy; Late Analyst, Metallurgic Laboratory, King's College, University of London.

With a Foreword by WALTER F. REID, F.I.C., F.C.S., Past President of the Society of Chemical Industry.

SECOND EDITION. In Cloth. Thoroughly Revised. 4s.

THE ELEMENTS OF CHEMICAL ENGINEERING

By J. GROSSMANN, M.A., PH.D. F.I.C.

WITH A PREFACE BY

SIR WILLIAM RAMSAY, K.C.B., F.R.S.

CONTENTS.—The Beaker and its Technical Equivalents.—Distilling Flasks, Liebig Condensers.—Fractionating Tubes and their Technical Equivalents.—The Air-Bath and its Technical Equivalents.—The Blowpipe and Crucible and their Technical Equivalents.—The Steam Boiler and other Sources of Power.—General Remarks on the Application of Heat in Chemical Engineering.—The Funnel and its Technical Equivalents.—Mortar and its Technical Equivalents.—Measuring Instruments and their Technical Equivalents.—Materials Used and their Mode of Application.—Technical Research the Designing of Plant.—Conclusion—Chemicals and Materials.—INDEX.

"Excellent." Every student of chemistry attending a technical course should obtain a copy."—*Chemical News*.

LABORATORY HANDBOOKS BY A. HUMBOLDT SEXTON

Professor of Metallurgy in the Glasgow and West of Scotland Technical College.

FIFTH EDITION. Crown 8vo, Cloth. Pp. i-xii + 136. With Illustrations.

OUTLINES OF QUANTITATIVE ANALYSIS
FOR THE USE OF STUDENTS.

"A COMPACT LABORATORY GUIDE for beginners was wanted, and the work has been WELL SUPPLIED . . . A good and useful book."—*Lancet*.

FOURTH EDITION, Revised. Crown 8vo, Cloth. Pp. i-xiii + 178.

With Illustrations. 3s. 6d.

OUTLINES OF QUALITATIVE ANALYSIS
FOR THE USE OF STUDENTS.

"The work of a thoroughly practical chemist."—*British Medical Journal*.

ELEMENTARY METALLURGY:

Including the Author's Practical Laboratory Course. FOURTH EDITION.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.

TEXT-BOOKS OF INORGANIC CHEMISTRY.

In TEN VOLUMES. Medium 8vo. Cloth.

A TEXT-BOOK OF
INORGANIC CHEMISTRY.

EDITED BY

J. NEWTON FRIEND, D.Sc., F.I.C., Ph.D.,

Carnegie Gold Medallist.

- VOLUME I.** SECOND EDITION. Pp. i-xv + 385. 12s. 6d.
- { PART I. An Introduction to Modern Inorganic Chemistry.
 By J. NEWTON FRIEND, D.Sc.(B'ham), Ph.D.(Wurz.);
 H. F. V. LITTLE, D.Sc.(Lond.), A.R.C.S., Chief Chemist
 to Thorium, Ltd.; W. E. S. TURNER, D.Sc.(Lond.).
 { PART II. The Inert Gases (Group 0 in the Periodic Table).
 By H. V. A. BRISCOE, D.Sc.(Lond.), A.R.C.S.
- VOLUME II.** The Alkali Metals and their Congeners (Group I. of the Periodic Table). By A. JAMESON WALKER, Ph.D. (Heid.).
- VOLUME III.** The Alkaline Earth Metals and their Associates (Group II. of the Periodic Table). By H. V. A. BRISCOE, D.Sc. (Lond.), A.R.C.S., and E. SINKINSON.
- VOLUME IV.** Aluminium and its Congeners, including the Rare Earth Metals (Group III. of the Periodic Table). By H. F. V. LITTLE, B.Sc.(Lond.), A.R.C.S., Chief Chemist to Thorium, Ltd. Pp. i-xx + 485. 16s.
- VOLUME V.** Carbon and its Allies (Group IV. of the Periodic Table). By R. M. CAVEN, D.Sc.(Lond.), F.I.C. Pp. i-xxi + 468. 15s.
- VOLUME VI.** Nitrogen and its Congeners (Group V. of the Periodic Table). By J. O. WITHERS, Ph.D.(Wurz.), and H. F. V. LITTLE, B.Sc.(Lond.), A.R.C.S., Chief Chemist to Thorium, Ltd.
- VOLUME VII.** Sulphur and its Congeners (Group VI. of the Periodic Table). By DOUGLAS F. TWISS, D.Sc.(Birmingham), F.I.C., and ARTHUR V. ELDRIDGE, B.Sc.(Lond.), F.I.C.
- VOLUME VIII.** The Halogens and their Allies (Group VII. of the Periodic Table). By GEOFFREY MARTIN, D.Sc., Ph.D., and ERNEST A. DANCASTER, B.Sc.(London). SECOND IMPRESSION. Pp. i-xviii + 337. 12s. 6d.
- VOLUME IX.** { PART I. Cobalt, Nickel, and the Elements of the Platinum Group. By J. NEWTON FRIEND, D.Sc.(B'ham),
 { PART II. Iron. By J. NEWTON FRIEND, D.Sc., and J. LLOYD BENTLEY.
- VOLUME X.** The Metal Ammines, with a General Introduction to the Theory of Complex Inorganic Substances. By H. F. V. LITTLE, B.Sc.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

A TEXT-BOOK OF PHYSICS.

By J. H. POYNTING, Sc.D., F.R.S.,

Professor of Physics, Birmingham University,

And Sir J. J. THOMSON, O.M., M.A., F.R.S.,

Professor of Experimental Physics in the University of Cambridge.

In Five Volumes. Large 8vo. Sold Separately.

INTRODUCTORY VOLUME. SIXTH EDITION, Revised. Fully Illustrated.
10s. 6d.

PROPERTIES OF MATTER.

CONTENTS.—Gravitation.—The Acceleration of Gravity.—Elasticity.—Soluses and Strains.—Torsion.—Bending of Rods.—Spiral Springs.—Collision.—Compressibility of Liquids.—Pressures and Volumes of Gases.—Thermal Effects Accompanying Strain.—Capillarity.—Surface Tension.—Laplace's Theory of Capillarity.—Diffusion of Liquids.—Diffusion of Gases.—Viscosity of Liquids.—INDEX.

"We regard this book as quite indispensable not merely to teachers but to physicists of every grade above the lowest."—*University Correspondent*.

VOLUME II. SIXTH EDITION. Fully Illustrated. 8s. 6d.

SOUND.

CONTENTS.—The Nature of Sound and its chief Characteristics.—The Velocity of Sound in Air and other Media.—Reflection and Refraction of Sound.—Frequency and Pitch of Notes.—Resonance and Forced Oscillations.—Analysis of Vibrations.—The Transverse Vibrations of Stretched Strings or Wires.—Pipes and other Air Cavities.—Rods.—Plates.—Membranes.—Vibrations maintained by Heat.—Sensitive Flames and Jets.—Musical Band.—The Superposition of Waves.—INDEX.

"The work . . . may be recommended to anyone desirous of possessing an EASY UP-TO-DATE STANDARD TREATISE ON ACOUSTICS."—*Literature*.

VOLUME III. FOURTH EDITION, Revised. Fully Illustrated. 15s.

HEAT.

CONTENTS.—Temperature.—Expansion of Solids.—Liquids.—Gases.—Circulation and Convection.—Quantity of Heat; Specific Heat.—Conductivity.—Forms of Energy; Conservation; Mechanical Equivalent of Heat.—The Kinetic Theory.—Change of State; Liquid, Vapour.—Critical Points.—Solids and Liquids.—Atmospheric Conditions.—Radiation.—Theory of Exchanges.—Radiation and Temperature.—Thermodynamics.—Isothermal and Adiabatic Changes.—Thermodynamics of Changes of State, and Solutions.—Thermodynamics of Radiation.—INDEX.

"Well up-to-date, and extremely clear and exact throughout. . . . As clear as it would be possible to make such a text-book."—*Nature*.

VOLUME IV. IN THREE PARTS—TWO BOUND VOLUMES.

ELECTRICITY & MAGNETISM.

PARTS I. & II. In Cloth. Pp. i-xiv + 246. 10s. 6d.

STATIC ELECTRICITY AND MAGNETISM.

CONTENTS.—Common Phenomena.—Quantity of Electrification.—"Inverse Square" Systems.—Electric Strain produced in a Field.—Force on a Small Charged Body in the Field.—Potential.—Energy in Electrified Systems.—Measuring Potential and Capacity.—Dielectric, Specific Inductive Capacity, Residual Effects.—Spec Ind. Capacity and Refractive Index.—Stress in Dielectric.—Alteration in Dielectric under Strain.—Pyro- and Piezo-electricity.—Magnetic Actions.—Molecular Hypothesis of Magnets.—Magnets other than Iron.—Inverse Square Law.—Magnetic Fields.—Induced Magnetism.—Permeability.—Measurements of Susceptibility and Permeability.—Terrestrial Magnetism.—Magnetism and Light.—INDEX.

"The student of Physics has only to know of its existence and its authors in order to possess it."—*Electrical Times*.

PART III.—Is in the Press.

VOLUME V. **LIGHT**—Is in Preparation.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

AN ELEMENTARY TEXT-BOOK OF PHYSICS

By R. WALLACE STEWART, D.Sc. (LOND.)

In Four Volumes. Crown 8vo. Cloth. Each Fully Illustrated.
Sold Separately.

VOL. I. Pp. i-vii+414. With 187 Illustrations. 5s.

GENERAL PHYSICS.

CONTENTS.—Introductory.—Scalar and Vector Quantities.—Measurement of Length, Area, and Volume.—Measurement of Time.—Measurement of Mass.—Velocity. Acceleration.—Circular Motion and Simple Harmonic Motion.—Force.—Work and Energy.—Composition and Resolution of Forces.—Centre of Gravity.—Equilibrium of Forces.—Friction.—The Balance.—General Properties of Matter.—Properties of Solids.—Hydrostatics.—Experimental Determination of Specific Gravity and Density.—Properties of Liquids.—Properties of Liquids (*continued*).—Properties of Gases.—INDEX.

VOL. II. Pp. i-vii+141. Profusely Illustrated. 3s.

SOUND.

CONTENTS.—Simple Harmonic Vibration.—Production of Sound.—Wave Motion.—Propagation of Sound.—Characteristics of Sound.—Reflection and Refraction of Sound.—Velocity of Sound in Air and Water.—Transverse Vibration of Strings.—Longitudinal Vibration of Rods and Columns of Air.—INDEX.

"Should supply the much-felt need of an elementary treatment of this subject . . . distinctly good."—*Nature*.

VOL. III. Pp. i-vii+219. With 142 Illustrations. 4s.

LIGHT.

CONTENTS.—Introductory.—Rectilinear Propagation of Light.—Photometry.—Reflection at Plane Surfaces.—Reflection at Spherical Surfaces.—Refraction.—Refraction through Lenses.—Dispersion.—INDEX.

"This elementary treatise resembles Part II. (*Sound*) in its attractiveness . . . the treatment is good . . . excellent diagrams . . . very clear."—*Journ. of Inst. of Teachers in Technical Institutes*.

VOL. IV. Pp. i-v+242. With 84 Illustrations. 4s.

HEAT.

CONTENTS.—Introductory.—Thermometry.—Expansion of Solids.—Expansion of Liquids.—Expansion of Gases.—Calorimetry.—Specific Heat.—Liquefaction and Solidification.—Vaporisation and Condensation.—Conduction of Heat.—Convection.—Mechanical Equivalent of Heat.—Radiation.—INDEX.

In Large 8vo. With Bibliography, Illustrations in the Text, and Seven Plates. 12s. 6d.

THE MEAN DENSITY OF THE EARTH.

An Essay to which the Adams Prize was Adjudged in 1893 in the University of Cambridge.

By J. H. POYNTING, Sc.D., F.R.S.

"Cannot fail to be of great and general interest."—*Athenæum*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

In Large 8vo. Cloth. Pp. i-xi + 176. With 81 Illustrations. 8s. 6d.

METHODS OF MEASURING TEMPERATURE.

By EZER GRIFFITHS, D.Sc.,

Assistant in the Heat Dept. of the National Physical Laboratory.

WITH AN INTRODUCTION BY PRINCIPAL E. H. GRIFFITHS, F.R.S.

CONTENTS.—The Fundamental Scale of Temperature.—Mercurial Thermometer.—The Resistance Thermometer.—The Thermo-Couple.—The "Fourth Power" Law of Radiation and Total Radiation Pyrometers.—Total Radiation from Oxide and Metallic Surfaces.—Distribution of Energy in the Spectrum of a "Full Radiator," and the Principles of Optical Pyrometry.—Distribution of Energy in the Heat Emission Spectrum of the Metals.—High-temperature Melting Points and Boiling Points.—APPENDIX.—INDEX.

"The book is one of the best of its kind, indeed, that we remember to have seen."—*Mining World*.

"It need hardly be said that those engaged in scientific investigations under laboratory conditions will look to Dr. Griffiths' excellent book as the highest authority on these matters."—*Mining Magazine*.

In Medium 8vo. Cloth. Pp. i-xii + 252. With Folding Plate and other Illustrations. 23s.

THE FLOW AND MEASUREMENT OF AIR AND GASES.

By ALEC B. EASON, M.A.,

Assoc. Member of Inst. Electrical Engineers.

CONTENTS.—Problems dealt with, and Sources of Information.—Coefficient of Friction in Pipes.—Loss of Pressure at Fittings.—Pneumatic Tube Problems.—Theories of Air Flow in Pipes.—Transit Time of Carriers.—Intermittent Flow of Air in Tubes.—Meters for Gas and Air.—Measurement of Air by Pitot Tubes.—Electric Velocity Meters and Hot-Wire Anemometry.—Flow from Orifices.—Air Friction on Moving Surfaces.—General Description of Pneumatic Tubes.—Methods of Producing Air Currents.—NAME INDEX.—SUBJECT INDEX.

In Large Crown 8vo. Cloth. Pp. i-viii + 143.
With 57 Illustrations. 5s.

THE THERMO-DYNAMIC PRINCIPLES OF ENGINE DESIGN.

By LIONEL M. HOBBS,

Engineer-Lieutenant, R.N.; Instructor in applied Mechanics and Marine Engine Design at the Royal Naval College, Greenwich.

CONTENTS.—Laws and Principles of Thermo-dynamics.—Hot-air Engines.—Gas and Oil Engines.—Refrigerating Machines.—The Transmission of Power by Compressed Air.—The Reciprocating Steam Engine.—Unresisted Expansion, and Flow through Orifices.—Flow of Gases along Pipes.—Steam Injectors and Ejectors.—Steam Turbines.—Examples.—Tables of the Properties of Saturated Steam.—INDEX.

"Serves its purpose admirably . . . well up to date."—*Shipping World*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

"Boys COULD NOT HAVE A MORE ALLURING INTRODUCTION to scientific pursuits than these charming-looking volumes."—Letter to the Publishers from the Headmaster of one of our great Public Schools.

SECOND EDITION, Revised. Cloth. 7s. 6d.

OPEN-AIR STUDIES IN BOTANY:

SKETCHES OF BRITISH WILD FLOWERS
IN THEIR HOMES.

By R. LLOYD PRAEGER, B.A., M.R.I.A.

Illustrated by Drawings from Nature by S. Rosamond Praeger,
and Photographs by R. Welch.

GENERAL CONTENTS.—A Daisy-Starred Pasture—Under the Hawthorne—By the River—Along the Shingle—A Fragrant Hedgerow—A Connemara Bog—Where the Samphire grows—A Flowery Meadow—Among the Corn (a Study in Weeds)—In the Home of the Alpines—A City Rubbish-Heap—Glossary.

"A FRESH AND STIMULATING book . . . should take a high place . . . The illustrations are drawn with much skill."—*The Times*.

"BEAUTIFULLY ILLUSTRATED. . . . One of the MOST ACCURATE as well as INTERESTING books of the kind we have seen."—*Athenæum*.

"Redolent with the scent of woodland and meadow."—*The Standard*.

Second Edition, Revised. With 12 Full-Page Illustrations from
Photographs. Cloth. Pp. i-xii + 322. 8s. 6d.

OPEN-AIR STUDIES IN GEOLOGY:

An Introduction to Geology Out-of-doors.

By GRENVILLE A. J. COLE, F.G.S., M.R.I.A.,

Professor of Geology in the Royal College of Science for Ireland,
and Examiner in the University of London.

GENERAL CONTENTS.—The Materials of the Earth—A Mountain Hollow—Down the Valley—Along the Shore—Across the Plains—Dead Volcanoes—A Granite Highland—The Annals of the Earth—The Surrey Hills—The Folds of the Mountains.

"The FASCINATING 'OPEN-AIR STUDIES' of PROF. COLE give the subject a glow of ANIMATION . . . cannot fail to arouse keen interest in geology."—*Geological Magazine*.

"A CHARMING BOOK, beautifully illustrated."—*Athenæum*.

Beautifully Illustrated. With a Frontispiece in Colours, and Numerous
Specially Drawn Plates by Charles Whympers. 7s. 6d.

OPEN-AIR STUDIES IN BIRD-LIFE:

SKETCHES OF BRITISH BIRDS IN THEIR HAUNTS.

By CHARLES DIXON.

The Spacious Air.—The Open Fields and Downs.—In the Hedgerows.—On Open Heath and Moor.—On the Mountains.—Amongst the Evergreens.—Coppse and Woodland.—By Stream and Pool.—The Sandy Wastes and Mud-flats.—Sea-laved Rocks.—Birds of the Cities.—INDEX.

"Enriched with excellent illustrations. A welcome addition to all libraries."—*Westminster Review*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C. 2.

In Medium 8vo. Cloth. Pp. i-xvi + 181. With 180 Illustrations, including Map of the World. 6s.

NATURE NOTES FOR OCEAN VOYAGERS:

Being Personal Observations upon Life in "The Vasty Deep," and Fishes, Birds, and Beasts seen from a Ship's Deck; with Popular Chapters on Weather, Waves, and Legendary Lore.

By CAPTAIN ALFRED CARPENTER R.N., D.S.O., AND
CAPTAIN D. WILSON-BARKER, R.D. R.N.R.

CONTENTS.—The Ocean.—Life on the Ocean.—Mammals, Bears, Seals, Whales.—Birds and Reptiles.—Fishes.—Plant Life and Seaweeds.—Coral.—Surface Life and Ocean Deposits, Plants.—Light and Phosphorescence.—Old Sea Monsters.—Weather (Winds, Clouds, etc.), Waves.—Old Sea Customs and Chanteys.—GLOSSARY.—INDEX.

"A work of value, and at the same time, a book of intense interest."—*Land and Water*.

"It ought to be in all ships' libraries."—*Nature*.

"It is indeed a fascinating, instructive and interesting book."—*Shipping World*.

In Crown 8vo. Cloth. With 20 Plates and 20 Figures in the Text. 6s.

PRACTICAL FIELD BOTANY.

A Guide to the Scope, Methods, Aims, and Limits of Modern Botanical Fieldwork.

By A. R. HORWOOD,

Member of the Ecological, Conchological, and Other Societies.

CONTENTS.—The Scope, Object, and Aims of Botany.—Collecting, Preserving, Mounting, and Storing Plants.—The Study of Botany.—Life History of Plants.—Study of Plant Forms.—APPENDIX.—INDEX.

"Highly recommended . . . full of valuable information."—*School Nature Study*

THIRD EDITION, Revised and Enlarged. Large Crown 8vo, with numerous Illustrations. 3s. 6d.

THE FLOWERING PLANT,

WITH A SUPPLEMENTARY CHAPTER ON FERNS AND MOSSES.

As Illustrating the First Principles of Botany.

By J. R. AINSWORTH DAVIS, M.A., F.Z.S.,

Prof. of Biology, University College, Aberystwyth; Examiner in Zoology, University of Aberdeen.

"It would be hard to find a Text-book which would better guide the student to an accurate knowledge of modern discoveries in Botany."—*Journal of Botany*.

Re-issue. With Illustrations. Crown 8vo. 1s. 6d.

HOW PLANTS LIVE AND WORK:

A Simple Introduction to Real Life in the Plant-world, Based on Lessons originally given to Country Children.

By ELEANOR HUGHES-GIBB.

"In every way well calculated to make the study of Botany attractive to the young."—*Scotsman*.

Re-issue. With Illustrations. Crown 8vo. 1s. 6d.

THE MAKING OF A DAISY;

"WHEAT OUT OF LILIES;"

And other Studies from the Plant World.

By ELEANOR HUGHES-GIBB.

"The book will afford real assistance to those who can derive pleasure from the study of Nature in the open. . . . The literary style is commendable."—*Knowledge*.

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

FIFTH EDITION, Revised. In Crown 8vo. With 53 Figures and Diagrams. Cloth. Pp. i-xv + 398. 12s. 6d.

AN INTRODUCTION TO

THE THEORY OF STATISTICS.

By G. UDNY YULE, C.B.E., M.A.,

Honorary Secretary of the Royal Statistical Society of London, &c.,

AND CAPT. M. GREENWOOD, R.A.M.C.T., of the Lister Institute.

CONTENTS.—Introduction. Part I.—The Theory of Attributes.—Notation and Terminology.—Consistence.—Association.—Partial Association.—Manifold Classification. Part II.—The Theory of Variables.—Frequency Distribution.—Averages.—Measures of Dispersion, &c.—Correlation.—Do., Practical Applications and Methods.—Miscellaneous Theorems Involving the use of the Correlation Coefficient.—Partial Correlation. Part III.—Theory of Sampling.—Simple Sampling of Attributes.—Effects of Removing the Limitations of Simple Sampling.—The Binomial Distribution and the Normal Curve.—Normal Correlation.—The Simpler Cases of Sampling for Variables.—Percentiles and Mean.—Appendices.—Supplement.—INDEX.

"Well calculated to hold the attention of the student or teacher of economic subjects."—*Statist.*

In Pocket Size. Cloth. 91 Pages. 1s. 6d

THE CO-OPERATION OF SCIENCE AND INDUSTRY.

By S. R. ILLINGWORTH, A.R.C.Sc., A.I.C., B.Sc.

With Foreword by SIR BOVERTON REDWOOD.

"We heartily commend the booklet to the notice of all manufacturers."—*Textile Manufacturer.*

"The booklet is one that can be recommended for perusal by thinkers—i.e. serious men who have the welfare of their country at heart."—*Mining World.*

Thirty-sixth Annual Issue. Cloth. 9s. (To Subscribers,
7s. 6d. and Postage 4d.)

THE OFFICIAL YEAR-BOOK

OF THE

SCIENTIFIC AND LEARNED SOCIETIES OF GREAT BRITAIN AND IRELAND.

COMPILED FROM OFFICIAL SOURCES.

Comprising (together with other Official Information) *LISTS* of the PAPERS read during the Session 1918-1919 before all the LEADING SOCIETIES throughout the Kingdom engaged in the following Departments of Research:—

§ 1. Science Generally: i.e., Societies occupying themselves with several Branches of Science, or with Science and Literature jointly. § 2. Astronomy, Meteorology, Mathematics and Physics. § 3. Chemistry and Photography. § 4. Geology, Geography, and Mineralogy. § 5. Biology, including Botany, Microscopy, and Anthropology. § 6. Economic Science and Statistics. § 7. Mechanical Science, Engineering, and Architecture. § 8. Naval and Military Science. § 9. Agriculture and Horticulture. § 10. Law. § 11. Literature, History, and Music. § 12. Psychology. § 13. Archaeology. § 14. MEDICINE.

"This book is a valuable compendium of indispensable worth to all who are interested in the various aspects of literature, medicine, engineering in all its branches, science and art, etc., and if it were not for this volume much interesting information would be lost to the public and no trace left of it. This book is essential to those who wish to keep themselves abreast of the scientific work of the day."—*Nautical Magazine.*

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C.2.

GRIFFIN'S ENGINEERING PUBLICATIONS.

THE DESIGN OF BEAMS, GIRDERS, AND COLUMNS in Machines and Structures. By W. H. ATHERTON, . . .	7s 6d
BRIDGE CONSTRUCTION. By Prof. O. FIDLER, M.Inst.C.E. FOURTH EDITION, . . .	80s 0d
PLATE GIRDER BRIDGES. By H. BIRD, . . .	At Press.
CONSTRUCTIONAL STEEL WORK. By A. W. FARNSWORTH, . . .	12s 6d
DOCK ENGINEERING. By BRYSSON CUNNINGHAM. SECOND EDITION, . . .	30s 0d
HARBOUR ENGINEERING. By BRYSSON CUNNINGHAM. SECOND EDITION, . . .	25s 0d
DOCK AND HARBOUR ENGINEER'S REFERENCE BOOK. In Pocket Size Leather. Fully Illustrated. By BRYSSON CUNNINGHAM, . . .	10s 6d
HYDROGRAPHIC SURVEYING. By Commander E. MESSEM, R.N., . . .	15s 0d
COAST EROSION AND PROTECTION. By E. R. MATTHEWS. SECOND EDITION, . . .	12s 6d
THE CONSTRUCTION OF DAMS. By Prof. E. R. MATTHEWS, . . .	4s 6d
HYDRAULIC POWER AND HYDRAULIC MACHINERY. By Prof. H. ROBINSON, M.Inst.C.E. THIRD EDITION, Revised, . . .	30s 0d
MODERN PUMPING AND HYDRAULIC MACHINERY. By L. BUTLER. SECOND EDITION, . . .	25s 0d
PUMPING MACHINERY (Steam and Water Pressure). By HENRY DAVEY, M.Inst.C.E. SECOND EDITION, . . .	25s 0d
TEXT-BOOK OF PRACTICAL HYDRAULICS. Prof. J. PARK, . . .	16s 0d
CENTRIFUGAL PUMPING MACHINERY. By E. W. SARGEANT. SECOND ED., . . .	15s 0d
WATER SUPPLY: Selection of Sources and Distribution. By R. E. MIDDLETON, M.Inst.C.E., &c. SECOND EDITION, . . .	7s 6d
SEA WATER DISTILLATION. By FRANK NORMANDY, . . .	21s 0d
THE THEORY OF THE STEAM TURBINE. By ALEX. JUDE. SECOND EDITION, . . .	30s 0d
GAS, OIL, AND AIR ENGINES. By DONKIN, GRAVES SMITH, and BURSTALL. FIFTH EDITION, . . .	8s 6d
AERO ENGINES. By G. A. BURLS, M.Inst.C.E. ELEVENTH EDITION, . . .	15s 0d
INTERNAL COMBUSTION ENGINES. By O. W. ASKING and E. ROESLER, . . .	15s 0d
DIESEL ENGINES, LAND AND MARINE. By Prof. SUPINO. Translated by A. G. BRENNER and A. RICHARDSON. THIRD EDITION, . . .	10s 6d
THE INTERNAL COMBUSTION ENGINE. By EDWARD BUTLER, . . .	9s 0d
THE GAS TURBINE (Construction and Working of Two Actual Machines). By H. HOLZWARTH and A. F. CHALKLEY, . . .	15s 0d
THE GAS TURBINE (Design and Construction). By H. H. SUPLEE, B.Sc., . . .	6s 0d
SUCTION GAS PLANTS. By Prof. O. A. SMITH. SECOND IMPRESSION, . . .	18s 0d
OIL MOTORS: Their Development, Construction, and Management. By G. LIECKFELD. In Handsome Cloth. Fully Illustrated, . . .	12s 6d
BOILERS, LAND AND MARINE. By T. W. TRAILL. FOURTH EDITION, . . .	6s 0d
STEAM BOILERS: Their Defects, Management, and Construction. By R. D. MUNRO. FIFTH EDITION, . . .	4s 6d
BOILER FEED WATERS. By P. G. JACKSON, F.I.O., . . .	9s 0d
OIL FUEL. By EDWARD BUTLER. THIRD EDITION, Revised, . . .	6s 0d
AUTOGENOUS WELDING. By GRANJON, ROSENBERG and RICHARDSON. EIGHTH EDITION, . . .	7s 6d
SMOKE ABATEMENT. By WM. NICHOLSON. With 59 Illustrations, . . .	30s 0d
LUBRICATION AND LUBRICANTS. By L. ARCHBUTT and R. M. DEELEY. THIRD EDITION, Thoroughly Revised, . . .	18s 0d
LUBRICATING ENGINEER'S HANDBOOK. By J. R. BATTLE, . . .	9s 0d
MODERN ENGINEERING WORKSHOPS PRACTICE. By H. THOMPSON, . . .	9s 0d
EMERY GRINDING MACHINERY. By R. B. RODGSON, A.M.Inst.C.E., . . .	15s 0d
THE POWER REQUIRED IN ROLLING MILLS. By J. PUPPE, . . .	21s 0d
LOCOMOTIVE ENGINEERING. By W. F. PETTIGREW. THIRD EDITION, . . .	10s 6d
LOCOMOTIVE COMPOUNDING AND SUPERHEATING. By J. F. CAIRNS, . . .	16s 0d
LIGHT RAILWAYS at Home and Abroad. By W. H. COLE, M.Inst.C.E., . . .	9s 0d
MECHANICAL DRAWING. By J. E. JAGGER, M.Sc. SECOND EDITION, . . .	5s 0d
MECHANICAL ENGINEERING FOR BEGINNERS. By R. S. McLAREN. Cloth. With 126 Illustrations. THIRD EDITION, . . .	9s 0d
BONUS TABLES: for the Calculation of Wages on the Bonus System. By H. A. GOLDING, A.M.Inst.M.E., . . .	7s 6d
THE CALCULUS FOR ENGINEERS AND PHYSICISTS. By Prof. R. H. SMITH, A.M.Inst.C.E., &c. SECOND EDITION, . . .	15s 0d
MEASUREMENT CONVERSIONS (English and French). 48 Graphic Tables or Diagrams on 28 Plates. By Prof. R. H. SMITH, A.M.Inst.C.E., &c., . . .	7s 6d
MATHEMATICS AND MECHANICS. By C. A. A. CAPITO, M.Sc., . . .	7s 6d
PRACTICAL SURVEYING AND FIELD-WORK. By V. G. SALMON, . . .	4s 0d
THE EFFECTS OF ERRORS IN SURVEYING. By H. Y. BRIGGS, . . .	9s 0d
PRACTICAL CALCULATIONS FOR ENGINEERS. By O. E. LARARD, A.M.Inst.C.E., &c., and H. A. GOLDING, A.M.Inst.M.E. THIRD EDITION, . . .	3s 0d
ELEMENTARY GRAPHIC STATICS. By W. J. CRAWFORD, D.Sc., . . .	3s 0d
CALCULATIONS ON THE ENTROPY-TEMP. CHART. By W. J. CRAWFORD, . . .	3s 0d

GRIFFIN'S ENGINEERING PUBLICATIONS—Continued.

VALVES AND VALVE GEARING. By CHARLES HURST. EIGHTH EDITION,	12s 6d
TRANSMISSION GEARS. By EDWARD BUTLER, -	8s 6d
THE DESIGN OF TOOTHED GEAR. By C. W. HILL, -	3s 6d
SCIENCE AND INDUSTRY: THEIR CO-OPERATION. By S. R. ILLINGWORTH, A.R.C.S., &c. In Pocket Size,	1s 6d
THERMO-DYNAMIC PRINCIPLES OF ENGINE DESIGN. By L. HOBBS, -	6s 6d
ENGINEERING DRAWING AND DESIGN. By S. H. WELLS, Wh.Sc., &c.	
Vol. I.—Practical Geometry, Plane, and Solid. SEVENTH EDITION, -	4s 6d
Vol. II.—Machine and Engine Drawing and Design. SIXTH EDITION, -	4s 6d
HANDBOOK ON TOWN PLANNING. By J. JULIAN, -	6s 6d
REFUSE DISPOSAL. By Prof. E. R. MATTHEWS. Fully Illustrated, -	7s 6d
CIVIL ENGINEERING PRACTICE. By F. NOEL TAYLOR. 1,038 Illus., -	30s 6d
THE MAIN DRAINAGE OF TOWNS. By F. NOEL TAYLOR. Fully Illus., -	15s 6d
MODERN DESTRUCTOR PRACTICE. By W. F. GOODRICH. Fully Illus., -	18s 6d
ROAD MAKING AND MAINTENANCE. By THOMAS ATKIN. SECOND ED., -	..
MODERN ROAD CONSTRUCTION. By FRANCIS WOOD, M.Inst.C.E., -	..
PETROL MOTORS AND MOTOR CARS. By F. STRICKLAND. SECOND EDITION, 21s 6d	
MOTOR CAR MECHANISM AND MANAGEMENT. By W. P. ADAMS.	
Part I.—The Petrol Car. THIRD EDITION, -	6s 6d
Part II.—Electrical Cars, -	6s 6d
CARBURETTORS, VAPORISERS, AND DISTRIBUTING VALVES. By Ed. BUTLER, -	12s 6d
VAPORIZING OF PARAFFIN. By ED. BUTLER, -	4s 6d
SCIENCE IN SMITHY AND FORGE. By W. H. CATHCART. SECOND EDITION, -	4s 6d
A TEXT-BOOK ON AERONAUTICS. By H. SHAW, -	10s 6d
THE AEROPLANE: A Concise Scientific Study. By A. PAGE. FIFTH ED., -	7s 6d
COMPENDIUM OF AVIATION. By Lieut.-Col. HOBBS. Pocket Size, -	3s 6d
THE PROBLEM OF FLIGHT. By Prof. H. CHATLEY. THIRD EDITION, -	..
THE FORCE OF THE WIND. By Prof. HERBERT CHATLEY, B.Sc., -	3s 6d
STRESSES IN MASONRY. By Prof. HERBERT CHATLEY, B.Sc., -	4s 6d
BUILDING IN EARTHQUAKE COUNTRIES. By A. MONTEL, -	10s 6d
CENTRAL ELECTRICAL STATIONS (Design, Organisation, and Management). By C. H. WORDINGHAM, A.R.C. SECOND EDITION, -	30s 6d
ELECTRICAL EQUIPMENT OF SHIPS. By C. H. WORDINGHAM, At Press.	
ELECTRICITY METERS. By H. G. SOLOMON, -	18s 6d
TRANSFORMERS. By Prof. H. BOHLE and Prof. D. ROBERTSON, -	25s 6d
ELECTRIC CRANE CONSTRUCTION. By C. W. HILL, A.M.I.C.E., -	30s 6d
ELECTRICAL PHOTOMETRY. By Prof. H. BOHLE, M.I.E.E. Fully Illus., -	12s 6d
ELECTRO-METALLURGY. By WALTER G. McMILLAN, F.I.C., F.C.S. FOURTH EDITION, Revised and Enlarged by W. E. COOPER. Demy 8vo., -	12s 6d
ELECTRICAL PRACTICE IN COLLIERIES. By Prof. D. BURNS. FIFTH ED., -	..
WIRELESS TELEGRAPHY. By GUSTAV RICHHORN, Ph.D., -	10s 6d
TELEGRAPHIC SYSTEMS, and Other Notes. By ARTHUR CROCHOT, -	6s 6d
ELECTRICAL RULES AND TABLES (A Pocket-book of). By JOHN MUNRO and Professor JAMIESON. TWENTIETH EDITION. Pocket size, -	7s 6d
ELECTRICAL THEORY AND THE PROBLEM OF THE UNIVERSE. By G. W. de TUNZELMANN, -	18s 6d
THE THEORY OF STATICS. By G. UDNY YULE. FIFTH EDITION, -	12s 6d

WORKS BY W. J. MACQUORN RANKINE, LL.D., &c.

CIVIL ENGINEERING (A Manual of). TWENTY-FOURTH EDITION, -	10s 6d
A MANUAL OF APPLIED MECHANICS. TWENTIETH EDITION, -	12s 6d
A MANUAL OF MACHINERY AND MILLWORK. SEVENTH EDITION, -	12s 6d
A MANUAL OF THE STEAM ENGINE, &c. SEVENTEENTH EDITION, -	12s 6d
USEFUL RULES AND TABLES: For Architects, Builders, Engineers, Founders, Mechanics, Shipbuilders, Surveyors, &c. EIGHTH EDITION, 10s 6d	

WORKS BY PROF. A. JAMIESON, M.Inst.C.E.

HEAT AND HEAT ENGINES (Advanced). EIGHTEENTH EDITION. In Two Vols. Vol. I., 8s. 6d.; Vol. II., at Press.	
APPLIED MECHANICS AND MECHANICAL ENGINEERING. Vol. I.—Applied Mechanics, 6s. Vol. II.—Strength of Materials, 6s. Vol. III.—Theory of Structures, 5s. Vol. IV.—Hydraulics, 6s. Vol. V.—Theory of Machines, 7s. 6d.	
HEAT ENGINES: STEAM, GAS, AND OIL (Elementary Manual of). SIXTEENTH EDITION, Revised and Enlarged by E. S. Andrews, -	5s 6d
MAGNETISM AND ELECTRICITY (Practical Elementary Manual of). NINTH EDITION, Revised and Enlarged by E. S. Andrews, -	5s 6d
APPLIED MECHANICS (Elementary Manual of). FOURTEENTH EDITION, Revised and Greatly Enlarged by E. S. Andrews, -	5s 6d

LONDON: CHARLES GRIFFIN & CO., LTD., EXETER ST., STRAND, W.C. 2.